

Clinical Policy: Wheelchair Seating

Reference Number: CP.MP.99

Date of Last Revision: 03/25

[Coding Implications](#)

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

Policy/Criteria

- I. It is the policy of health plans affiliated with Centene Corporation® that special wheelchair seating cushions are **medically necessary** for the following indications:
- A. A general use seat cushion (E2601, E2602) and a general use wheelchair back cushion (E2611, E2612) for an approved manual wheelchair or power wheelchair with a sling or solid seat or back.
 - B. A skin-protection seat cushion (E2603, E2604, E2622, E2623) with an approved manual wheelchair or power wheelchair, with a sling/solid seat/back; and either of the following:
 - 1. Current pressure ulcer or past history of a pressure ulcer (see “ICD-10-CM Diagnosis Codes That Support Medical Necessity” section below) on the area of contact with the seating surface; or
 - 2. Absent or impaired sensation in the area of contact with the seating surface or inability to carry out a functional weight shift due to one of the following diagnoses: spinal cord injury resulting in quadriplegia or paraplegia, other spinal cord disease, multiple sclerosis, other demyelinating disease, cerebral palsy, anterior horn cell diseases including amyotrophic lateral sclerosis, post-polio paralysis, traumatic brain injury resulting in quadriplegia, spina bifida, childhood cerebral degeneration, Alzheimer's disease, Parkinson's disease, dementia, hereditary motor and sensory neuropathy, muscular dystrophy, hemiplegia, Huntington's chorea, idiopathic torsion dystonia, athetoid cerebral palsy, arthrogryposis, osteogenesis imperfecta, spinocerebellar disease or transverse myelitis (see “ICD-10-CM Diagnosis Codes That Support Medical Necessity” section below).
 - C. A positioning seat cushion (E2605, E2606), positioning back cushion (E2613, E2614, E2615, E2616, E2620, E2621), and positioning accessory (E0953, E0955, E0956, E0957, E0960) with both of the following:
 - 1. An approved manual wheelchair or power wheelchair with a sling/solid seat/back; and
 - 2. Significant postural asymmetries that are due to one of the diagnoses listed in the skin-protection seat cushion criterion B.2 above or to one of the following diagnoses: monoplegia of the lower limb due to stroke, traumatic brain injury or other etiology, spinocerebellar disease, congenital absence of thigh and/or lower limb, above knee leg amputation, osteogenesis imperfecta, or transverse myelitis (see “ICD-10-CM Diagnosis Codes That Support Medical Necessity” section below).
 - D. A headrest (E0955) when the member/enrollee has an approved manual tilt-in-space, manual semi or fully reclining back on a manual wheelchair, a manual fully reclining back on a power wheelchair, or power tilt and/or recline power seating system.
 - E. A combination skin-protection and positioning seat cushion (E2607, E2608, E2624, E2625) if the criteria for both a skin-protection seat cushion and a positioning seat cushion are met.

- F. A custom fabricated seat cushion (E2609) if criteria (1) and (3) below are met. A custom fabricated back cushion (E2617) if criteria (2) and (3) below are met:
 - 1. The member/enrollee meets all of the criteria for a prefabricated skin-protection seat cushion or positioning seat cushion;
 - 2. The member/enrollee meets all of the criteria for a prefabricated positioning back cushion;
 - 3. There is a comprehensive, written evaluation by a licensed/certified medical professional, such as a physical therapist (PT) or occupational therapist (OT), which clearly explains why a prefabricated seating system is not sufficient to meet seating and positioning needs. The PT or OT must have no financial relationship with the supplier.
- II. It is the policy of health plans affiliated with Centene Corporation that special wheelchair cushions and accessories are **not medically necessary** for the following indications:
 - A. A general use seat cushion (E2601, E2602) if the member/enrollee has a power-operated vehicle (POV) or a power wheelchair with a captain's chair seat.
 - B. A separate seat, back cushion, headrest, and/or other positioning accessories if the member/enrollee has a POV or power wheelchair with a captain's chair seat. Power wheelchair bases that do not include a captain's chair model are: K0839, K0840, K0843, K0860, K0861, K0862, K0863, K0864, K0890, K0891.
 - C. A seat or back cushion that is provided for use with a transport chair (E1037, E1038).
 - D. Powered seat cushion (E2610) for any indication as effectiveness has not been established.

Background

Careful consideration should be given to anticipated or potential changes in the person's function or psychosocial role changes. For instance, when working with an individual with a progressive disease process such as a multiple sclerosis (MS) or amyotrophic lateral sclerosis (ALS), the wheelchair must meet current and potential needs as the disease progresses. Likewise, a child or adolescent certainly may have growth or other anthropomorphic changes. This should be taken into consideration when ordering a new chair or related equipment.³

The evaluating provider should ascertain the individual's level of bowel and bladder control. Certain types of cushions are better suited for patients who are frequently incontinent. During the examination, the evaluating provider should question the patient about any past skin breakdown. Once a patient has had a decubitus ulcer, his or her skin is at best 80% the strength that it was prior to the ulcer.³ Such a patient will be more susceptible to skin breakdown in the future, and use of a previous seating system that induced or contributed to the skin breakdown should be avoided.

The evaluating provider needs to record the method and frequency of achieving pressure relief in order to prescribe a system that does not unknowingly remove a part of the wheelchair that previously provided pressure relief.

Coding Implications

This clinical policy references Current Procedural Terminology (CPT®). CPT® is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted

CLINICAL POLICY

Wheelchair Seating

2024, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

Seat Cushions

HCPSC Codes	Description
E2601	General use wheelchair seat cushion, width less than 22 inches, any depth
E2602	General use wheelchair seat cushion, width 22 inches or greater, any depth
E2603	Skin protection wheelchair seat cushion, width less than 22 inches, any depth
E2604	Skin protection wheelchair seat cushion, width 22 inches or greater, any depth
E2605	Positioning wheelchair seat cushion, width less than 22 inches, any depth
E2606	Positioning wheelchair seat cushion, width 22 inches or greater, any depth
E2607	Skin protection and positioning wheelchair seat cushion, width less than 22 inches, any depth
E2608	Skin protection and positioning wheelchair seat cushion, width 22 inches or greater, any depth
E2609	Custom fabricated wheelchair seat cushion, any size
E2622	Skin protection wheelchair seat cushion, adjustable, width less than 22 inches, any depth
E2623	Skin protection wheelchair seat cushion, adjustable, width 22 inches or greater, any depth
E2624	Skin protection and positioning wheelchair seat cushion, adjustable, width less than 22 inches, any depth
E2625	Skin protection and positioning wheelchair seat cushion, adjustable, width 22 inches or greater, any depth

Back Cushions

HCPSC Codes	Description
E2611	General use wheelchair back cushion, width less than 22 inches, any height, including any type mounting hardware
E2612	General use wheelchair back cushion, width 22 inches or greater, any height, including any type mounting hardware
E2613	Positioning wheelchair back cushion, posterior, width less than 22 inches, any height, including any type mounting hardware
E2614	Positioning wheelchair back cushion, posterior, width 22 inches or greater, any height, including any type mounting hardware
E2615	Positioning wheelchair back cushion, posterior-lateral, width less than 22 inches, any height, including any type mounting hardware
E2616	Positioning wheelchair back cushion, posterior-lateral, width 22 inches or greater, any height, including any type mounting hardware

CLINICAL POLICY
Wheelchair Seating

HCPCS Codes	Description
E2617	Custom fabricated wheelchair back cushion, any size, including any type mounting hardware
E2620	Positioning wheelchair back cushion, planar back with lateral supports, width less than 22 inches, any height, including any type mounting hardware
E2621	Positioning wheelchair back cushion, planar back with lateral supports, width 22 inches or greater, any height, including any type mounting hardware

Positioning Accessories

HCPCS Codes	Description
E0953	Wheelchair accessory, lateral thigh or knee support, any type including fixed mounting hardware, each
E0955	Wheelchair accessory, headrest, cushioned, any type, including fixed mounting hardware, each
E0956	Wheelchair accessory, lateral trunk or hip support, any type, including fixed mounting hardware, each
E0957	Wheelchair accessory, medial thigh support, any type, including fixed mounting hardware, each
E0960	Wheelchair accessory, shoulder harness/straps or chest strap, including any type mounting hardware
E0966	Manual wheelchair accessory, headrest extension, each
E1028	Wheelchair accessory, manual swingaway, retractable or removable mounting hardware for joystick, other control interface or positioning accessory

Miscellaneous

HCPCS Codes	Description
A9900	Miscellaneous DME supply, accessory, and/or service component of another HCPCS code
E2231	Manual wheelchair accessory, solid seat support base (replaces sling seat), includes any type mounting hardware
E2291	Back, planar, for pediatric size wheelchair including fixed attaching hardware
E2292	Seat, planar, for pediatric size wheelchair including fixed attaching hardware
E2293	Back, contoured, for pediatric size wheelchair including fixed attaching hardware
E2294	Seat, contoured, for pediatric size wheelchair including fixed attaching hardware
E2619	Replacement cover for wheelchair seat cushion or back cushion, each
K0108	Wheelchair component or accessory, not otherwise specified

Not Medically Necessary Procedure Codes

The following is a list of HCPCS codes which are NOT medically necessary unless an exception is noted in this policy.

HCPCS Codes	Description
E0992	Manual wheelchair accessory, solid seat insert
E2610	Wheelchair Seat cushion, powered
K0669	Wheelchair accessory, wheelchair seat or back cushion, does not meet specific code criteria or no written coding verification from DME PDAC

ICD-10-CM Diagnosis Codes that Support Coverage Criteria

ICD-10 Table 1 The following is a list of diagnosis codes that support medical necessity for HCPCS code(s) E2603, E2604, E2622, and E2623.

ICD-10-CM Code	Description
B91	Sequelae of poliomyelitis
E75.00	GM2 gangliosidosis, unspecified
E75.01	Sandhoff disease
E75.02	Tay-Sachs disease
E75.09	Other GM2 gangliosidosis
E75.10	Unspecified gangliosidosis
E75.11	Mucopolipidosis IV
E75.19	Other gangliosidosis
E75.23	Krabbe disease
E75.25	Metachromatic leukodystrophy
E75.27	Pelizaeus-Merzbacher disease
E75.28	Canavan disease
E75.29	Other sphingolipidosis
E75.4	Neuronal ceroid lipofuscinosis
F03.90	Unspecified dementia, unspecified severity, with behavioral disturbance
F03.911	Unspecified dementia, unspecified severity, with agitation
F03.918	Unspecified dementia, unspecified severity, with other behavioral disturbance
F03.92	Unspecified dementia, unspecified severity, with psychotic disturbance
F03.93	Unspecified dementia, unspecified severity, with mood disturbance
F03.94	Unspecified dementia, unspecified severity, with anxiety
F03.A11	Unspecified dementia, mild, with agitation
F03.A18	Unspecified dementia, mild, with other behavioral disturbance
F03.A2	Unspecified dementia, mild, with psychotic disturbance
F03.A3	Unspecified dementia, mild, with mood disturbance
F03.A4	Unspecified dementia, mild, with anxiety
F03.B11	Unspecified dementia, moderate, with agitation
F03.B18	Unspecified dementia, moderate, with other behavioral disturbance
F03.B2	Unspecified dementia, moderate, with psychotic disturbance
F03.B3	Unspecified dementia, moderate, with mood disturbance
F03.B4	Unspecified dementia, moderate, with anxiety
F03.C11	Unspecified dementia, severe, with agitation

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
F03.C18	Unspecified dementia, severe, with other behavioral disturbance
F03.C2	Unspecified dementia, severe, with psychotic disturbance
F03.C3	Unspecified dementia, severe, with mood disturbance
F03.C4	Unspecified dementia, severe, with anxiety
F84.2	Rett's syndrome
G04.1	Tropical spastic paraplegia
G04.82	Acute flaccid myelitis
G04.89	Other myelitis
G10	Huntington's disease
G11.0	Congenital nonprogressive ataxia
G11.10	Early-onset cerebellar ataxia, unspecified
G11.11	Friedreich ataxia
G11.19	Other early onset cerebellar ataxia
G11.2	Late-onset cerebellar ataxia
G11.3	Cerebellar ataxia with defective DNA repair
G11.4	Hereditary spastic paraplegia
G11.8	Other hereditary ataxias
G11.9	Hereditary ataxia, unspecified
G12.0	Infantile spinal muscular atrophy, type I [Werdnig-Hoffman]
G12.1	Other inherited spinal muscular atrophy
G12.20	Motor neuron disease, unspecified
G12.21	Amyotrophic lateral sclerosis
G12.23	Primary lateral sclerosis
G12.24	Familial motor neuron disease
G12.25	Progressive spinal muscle atrophy
G12.29	Other motor neuron disease
G12.8	Other spinal muscular atrophies and related syndromes
G12.9	Spinal muscular atrophy, unspecified
G14	Postpolio syndrome
G20.A1	Parkinson's disease without dyskinesia, without mention of fluctuations
G20.A2	Parkinson's disease without dyskinesia, with fluctuations
G20.B1	Parkinson's disease with dyskinesia, without mention of fluctuations
G20.B2	Parkinson's disease with dyskinesia, with fluctuations
G20.C	Parkinsonism, unspecified
G21.4	Vascular parkinsonism
G24.1	Genetic torsion dystonia
G30.0	Alzheimer's disease with early onset
G30.1	Alzheimer's disease with late onset
G30.8	Other Alzheimer's disease
G30.9	Alzheimer's disease, unspecified
G31.80	Leukodystrophy, unspecified
G31.81	Alpers disease

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
G31.82	Leigh's disease
G31.83	Neurocognitive disorder with Lewy bodies
G31.86	Alexander disease
G31.89	Other specified degenerative diseases of nervous system
G32.0	Subacute combined degeneration of spinal cord in diseases classified elsewhere
G32.81	Cerebellar ataxia in diseases classified elsewhere
G32.89	Other specified degenerative disorders of nervous system in diseases classified elsewhere
G35	Multiple sclerosis
G36.0	Neuromyelitis optica [Devic]
G36.1	Acute and subacute hemorrhagic leukoencephalitis [Hurst]
G36.8	Other specified acute disseminated demyelination
G36.9	Acute disseminated demyelination, unspecified
G37.0	Diffuse sclerosis of central nervous system
G37.1	Central demyelination of corpus callosum
G37.2	Central pontine myelinolysis
G37.3	Acute transverse myelitis in demyelinating disease of central nervous system
G37.4	Subacute necrotizing myelitis of central nervous system
G37.5	Concentric sclerosis [Balo] of central nervous system
G37.81	Myelin oligodendrocyte glycoprotein antibody disease
G37.89	Other specified demyelinating diseases of central nervous system
G37.9	Demyelinating disease of central nervous system, unspecified
G60.0	Hereditary motor and sensory neuropathy
G61.0	Guillain-Barre syndrome
G70.00	Myasthenia gravis without (acute) exacerbation
G70.01	Myasthenia gravis with (acute) exacerbation
G71.00	Muscular dystrophy, unspecified
G71.01	Duchenne or Becker muscular dystrophy
G71.02	Facioscapulohumeral muscular dystrophy
G71.09	Other specified muscular dystrophies
G71.11	Myotonic muscular dystrophy
G71.20	Congenital myopathy, unspecified
G71.21	Nemaline myopathy
G71.220	X-linked myotubular myopathy
G71.228	Other centronuclear myopathy
G71.29	Other congenital myopathy
G71.031	Autosomal dominant limb girdle muscular dystrophy
G71.032	Autosomal recessive limb girdle muscular dystrophy due to calpain-3 dysfunction
G71.033	Limb girdle muscular dystrophy due to dysferlin dysfunction
G71.0340	Limb girdle muscular dystrophy due to sarcoglycan dysfunction, unspecified
G71.0341	Limb girdle muscular dystrophy due to alpha sarcoglycan dysfunction
G71.0342	Limb girdle muscular dystrophy due to beta sarcoglycan dysfunction
G71.0349	Limb girdle muscular dystrophy due to other sarcoglycan dysfunction

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
G71.035	Limb girdle muscular dystrophy due to anoctamin-5 dysfunction
G71.038	Other limb girdle muscular dystrophy
G71.039	Limb girdle muscular dystrophy, unspecified
G72.41	Inclusion body myositis [IBM]
G80.0	Spastic quadriplegic cerebral palsy
G80.1	Spastic diplegic cerebral palsy
G80.2	Spastic hemiplegic cerebral palsy
G80.3	Athetoid cerebral palsy
G80.4	Ataxic cerebral palsy
G80.8	Other cerebral palsy
G80.9	Cerebral palsy, unspecified
G81.00	Flaccid hemiplegia affecting unspecified side
G81.01	Flaccid hemiplegia affecting right dominant side
G81.02	Flaccid hemiplegia affecting left dominant side
G81.03	Flaccid hemiplegia affecting right nondominant side
G81.04	Flaccid hemiplegia affecting left nondominant side
G81.10	Spastic hemiplegia affecting unspecified side
G81.11	Spastic hemiplegia affecting right dominant side
G81.12	Spastic hemiplegia affecting left dominant side
G81.13	Spastic hemiplegia affecting right nondominant side
G81.14	Spastic hemiplegia affecting left nondominant side
G81.90	Hemiplegia, unspecified affecting unspecified side
G81.91	Hemiplegia, unspecified affecting right dominant side
G81.92	Hemiplegia, unspecified affecting left dominant side
G81.93	Hemiplegia, unspecified affecting right nondominant side
G81.94	Hemiplegia, unspecified affecting left nondominant side
G82.20	Paraplegia, unspecified
G82.21	Paraplegia, complete
G82.22	Paraplegia, incomplete
G82.50	Quadriplegia, unspecified
G82.51	Quadriplegia, C1-C4 complete
G82.52	Quadriplegia, C1-C4 incomplete
G82.53	Quadriplegia, C5-C7 complete
G82.54	Quadriplegia, C5-C7 incomplete
G93.89	Other specified disorders of brain
G93.9	Disorder of brain, unspecified
G94	Other disorders of brain in diseases classified elsewhere
G95.0	Syringomyelia and syringobulbia
G95.11	Acute infarction of spinal cord (embolic) (nonembolic)
G95.19	Other vascular myelopathies
G99.2	Myelopathy in diseases classified elsewhere
I69.051	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
I69.052	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side
I69.053	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side
I69.054	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side
I69.059	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side
I69.151	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side
I69.152	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side
I69.153	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side
I69.154	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side
I69.159	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side
I69.251	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side
I69.252	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side
I69.253	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side
I69.254	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side
I69.259	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side
I69.351	Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side
I69.352	Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side
I69.353	Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side
I69.354	Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side
I69.359	Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side
I69.851	Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side
I69.852	Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side
I69.853	Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
I69.854	Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side
I69.859	Hemiplegia and hemiparesis following other cerebrovascular disease affecting unspecified side
I69.951	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side
I69.952	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side
I69.953	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side
I69.954	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side
I69.959	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side
L89.130	Pressure ulcer of right lower back, unstageable
L89.131	Pressure ulcer of right lower back, stage 1
L89.132	Pressure ulcer of right lower back, stage 2
L89.133	Pressure ulcer of right lower back, stage 3
L89.134	Pressure ulcer of right lower back, stage 4
L89.140	Pressure ulcer of left lower back, unstageable
L89.141	Pressure ulcer of left lower back, stage 1
L89.142	Pressure ulcer of left lower back, stage 2
L89.143	Pressure ulcer of left lower back, stage 3
L89.144	Pressure ulcer of left lower back, stage 4
L89.150	Pressure ulcer of sacral region, unstageable
L89.151	Pressure ulcer of sacral region, stage 1
L89.152	Pressure ulcer of sacral region, stage 2
L89.153	Pressure ulcer of sacral region, stage 3
L89.154	Pressure ulcer of sacral region, stage 4
L89.200	Pressure ulcer of unspecified hip, unstageable
L89.201	Pressure ulcer of unspecified hip, stage 1
L89.202	Pressure ulcer of unspecified hip, stage 2
L89.203	Pressure ulcer of unspecified hip, stage 3
L89.204	Pressure ulcer of unspecified hip, stage 4
L89.210	Pressure ulcer of right hip, unstageable
L89.211	Pressure ulcer of right hip, stage 1
L89.212	Pressure ulcer of right hip, stage 2
L89.213	Pressure ulcer of right hip, stage 3
L89.214	Pressure ulcer of right hip, stage 4
L89.220	Pressure ulcer of left hip, unstageable
L89.221	Pressure ulcer of left hip, stage 1
L89.222	Pressure ulcer of left hip, stage 2
L89.223	Pressure ulcer of left hip, stage 3

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
L89.224	Pressure ulcer of left hip, stage 4
L89.300	Pressure ulcer of unspecified buttock, unstageable
L89.301	Pressure ulcer of unspecified buttock, stage 1
L89.302	Pressure ulcer of unspecified buttock, stage 2
L89.303	Pressure ulcer of unspecified buttock, stage 3
L89.304	Pressure ulcer of unspecified buttock, stage 4
L89.310	Pressure ulcer of right buttock, unstageable
L89.311	Pressure ulcer of right buttock, stage 1
L89.312	Pressure ulcer of right buttock, stage 2
L89.313	Pressure ulcer of right buttock, stage 3
L89.314	Pressure ulcer of right buttock, stage 4
L89.320	Pressure ulcer of left buttock, unstageable
L89.321	Pressure ulcer of left buttock, stage 1
L89.322	Pressure ulcer of left buttock, stage 2
L89.323	Pressure ulcer of left buttock, stage 3
L89.324	Pressure ulcer of left buttock, stage 4
L89.41	Pressure ulcer of contiguous site of back, buttock and hip, stage 1
L89.42	Pressure ulcer of contiguous site of back, buttock and hip, stage 2
L89.43	Pressure ulcer of contiguous site of back, buttock and hip, stage 3
L89.44	Pressure ulcer of contiguous site of back, buttock and hip, stage 4
L89.45	Pressure ulcer of contiguous site of back, buttock and hip, unstageable
M62.3	Immobility syndrome (paraplegic)
M62.85	Dysfunction of the multifidus muscles, lumbar region
M62.89	Other specified disorders of muscle
Q03.0	Malformations of aqueduct of Sylvius
Q03.1	Atresia of foramina of Magendie and Luschka
Q03.8	Other congenital hydrocephalus
Q03.9	Congenital hydrocephalus, unspecified
Q05.0	Cervical spina bifida with hydrocephalus
Q05.1	Thoracic spina bifida with hydrocephalus
Q05.2	Lumbar spina bifida with hydrocephalus
Q05.3	Sacral spina bifida with hydrocephalus
Q05.4	Unspecified spina bifida with hydrocephalus
Q05.5	Cervical spina bifida without hydrocephalus
Q05.6	Thoracic spina bifida without hydrocephalus
Q05.7	Lumbar spina bifida without hydrocephalus
Q05.8	Sacral spina bifida without hydrocephalus
Q05.9	Spina bifida, unspecified
Q07.00	Arnold-Chiari syndrome without spina bifida or hydrocephalus
Q07.01	Arnold-Chiari syndrome with spina bifida
Q07.02	Arnold-Chiari syndrome with hydrocephalus
Q07.03	Arnold-Chiari syndrome with spina bifida and hydrocephalus
Q67.8	Other congenital deformities of chest

ICD-10-CM Code	Description
Q68.1	Congenital deformity of finger(s) and hand
Q74.3	Arthrogryposis multiplex congenita
Q78.0	Osteogenesis imperfecta
Q79.60	Ehlers-Danlos syndrome, unspecified
Q79.61	Classical Ehlers-Danlos syndrome
Q79.62	Hypermobility Ehlers-Danlos syndrome
Q79.63	Vascular Ehlers-Danlos syndrome
Q79.69	Other Ehlers-Danlos syndromes
Q90.0	Trisomy 21, nonmosaicism (meiotic nondisjunction)
Q90.1	Trisomy 21, mosaicism (mitotic nondisjunction)
Q90.2	Trisomy 21, translocation
Q90.9	Down syndrome, unspecified

ICD-10-CM Diagnosis Codes That Support Medical Necessity

ICD-10 Table 2 The following is a list of diagnosis codes that support medical necessity for HCPCS code(s) E0953, E0956, E0957, E0960, E2605, E2606, E2613, E2614, E2615, E216, E2617, E2620 and E2621.

ICD-10-CM Code	Description
B91	Sequelae of poliomyelitis
E75.00	GM2 gangliosidosis, unspecified
E75.01	Sandhoff disease
E75.02	Tay-Sachs disease
E75.09	Other GM2 gangliosidosis
E75.10	Unspecified gangliosidosis
E75.11	Mucopolysaccharidosis IV
E75.19	Other gangliosidosis
E75.23	Krabbe disease
E75.25	Metachromatic leukodystrophy
E75.27	Pelizaeus-Merzbacher disease
E75.28	Canavan disease
E75.29	Other sphingolipidosis
E75.4	Neuronal ceroid lipofuscinosis
F03.90	Unspecified dementia, unspecified severity, with behavioral disturbance
F03.911	Unspecified dementia, unspecified severity, with agitation
F03.918	Unspecified dementia, unspecified severity, with other behavioral disturbance
F03.92	Unspecified dementia, unspecified severity, with psychotic disturbance
F03.93	Unspecified dementia, unspecified severity, with mood disturbance
F03.94	Unspecified dementia, unspecified severity, with anxiety
F03.A11	Unspecified dementia, mild, with agitation
F03.A18	Unspecified dementia, mild, with other behavioral disturbance

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
F03.A2	Unspecified dementia, mild, with psychotic disturbance
F03.A3	Unspecified dementia, mild, with mood disturbance
F03.A4	Unspecified dementia, mild, with anxiety
F03.B11	Unspecified dementia, moderate, with agitation
F03.B18	Unspecified dementia, moderate, with other behavioral disturbance
F03.B2	Unspecified dementia, moderate, with psychotic disturbance
F03.B3	Unspecified dementia, moderate, with mood disturbance
F03.B4	Unspecified dementia, moderate, with anxiety
F03.C11	Unspecified dementia, severe, with agitation
F03.C18	Unspecified dementia, severe, with other behavioral disturbance
F03.C2	Unspecified dementia, severe, with psychotic disturbance
F03.C3	Unspecified dementia, severe, with mood disturbance
F03.C4	Unspecified dementia, severe, with anxiety
F84.2	Rett's syndrome
G04.1	Tropical spastic paraplegia
G04.82	Acute flaccid myelitis
G04.89	Other myelitis
G10	Huntington's disease
G11.0	Congenital nonprogressive ataxia
G11.10	Early-onset cerebellar ataxia, unspecified
G11.11	Friedreich ataxia
G11.19	Other early onset cerebellar ataxia
G11.2	Late-onset cerebellar ataxia
G11.3	Cerebellar ataxia with defective DNA repair
G11.4	Hereditary spastic paraplegia
G11.8	Other hereditary ataxias
G11.9	Hereditary ataxia, unspecified
G12.0	Infantile spinal muscular atrophy, type I [Werdnig-Hoffman]
G12.1	Other inherited spinal muscular atrophy
G12.20	Motor neuron disease, unspecified
G12.21	Amyotrophic lateral sclerosis
G12.23	Primary lateral sclerosis
G12.24	Familial motor neuron disease
G12.25	Progressive spinal muscle atrophy
G12.29	Other motor neuron disease
G12.8	Other spinal muscular atrophies and related syndromes
G12.9	Spinal muscular atrophy, unspecified
G14	Postpolio syndrome
G20.A1	Parkinson's disease without dyskinesia, without mention of fluctuations
G20.A2	Parkinson's disease without dyskinesia, with fluctuations
G20.B1	Parkinson's disease with dyskinesia, without mention of fluctuations
G20.B2	Parkinson's disease with dyskinesia, with fluctuations

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
G20.C	Parkinsonism, unspecified
G21.4	Vascular parkinsonism
G24.1	Genetic torsion dystonia
G30.0	Alzheimer's disease with early onset
G30.1	Alzheimer's disease with late onset
G30.8	Other Alzheimer's disease
G30.9	Alzheimer's disease, unspecified
G31.80	Leukodystrophy, unspecified
G31.81	Alpers disease
G31.82	Leigh's disease
G31.83	Neurocognitive disorder with Lewy bodies
G31.86	Alexander disease
G31.89	Other specified degenerative diseases of nervous system
G32.0	Subacute combined degeneration of spinal cord in diseases classified elsewhere
G32.81	Cerebellar ataxia in diseases classified elsewhere
G32.89	Other specified degenerative disorders of nervous system in diseases classified elsewhere
G35	Multiple sclerosis
G36.0	Neuromyelitis optica [Devic]
G36.1	Acute and subacute hemorrhagic leukoencephalitis [Hurst]
G36.8	Other specified acute disseminated demyelination
G36.9	Acute disseminated demyelination, unspecified
G37.0	Diffuse sclerosis of central nervous system
G37.1	Central demyelination of corpus callosum
G37.2	Central pontine myelinolysis
G37.3	Acute transverse myelitis in demyelinating disease of central nervous system
G37.4	Subacute necrotizing myelitis of central nervous system
G37.5	Concentric sclerosis [Balo] of central nervous system
G37.81	Myelin oligodendrocyte glycoprotein antibody disease
G37.89	Other specified demyelinating diseases of central nervous system
G37.9	Demyelinating disease of central nervous system, unspecified
G60.0	Hereditary motor and sensory neuropathy
G61.0	Guillain-Barre syndrome
G70.00	Myasthenia gravis without (acute) exacerbation
G70.01	Myasthenia gravis with (acute) exacerbation
G71.00	Muscular dystrophy
G71.01	Duchenne or Becker muscular dystrophy
G71.02	Facioscapulohumeral muscular dystrophy
G71.031	Autosomal dominant limb girdle muscular dystrophy
G71.032	Autosomal recessive limb girdle muscular dystrophy due to calpain-3 dysfunction
G71.033	Limb girdle muscular dystrophy due to dysferlin dysfunction
G71.0340	Limb girdle muscular dystrophy due to sarcoglycan dysfunction, unspecified
G71.0341	Limb girdle muscular dystrophy due to alpha sarcoglycan dysfunction

ICD-10-CM Code	Description
G71.0342	Limb girdle muscular dystrophy due to beta sarcoglycan dysfunction
G71.0349	Limb girdle muscular dystrophy due to other sarcoglycan dysfunction
G71.035	Limb girdle muscular dystrophy due to anoctamin-5 dysfunction
G71.038	Other limb girdle muscular dystrophy
G71.039	Limb girdle muscular dystrophy, unspecified
G71.09	Other specified muscular dystrophies
G71.11	Myotonic muscular dystrophy
G71.20	Congenital myopathy, unspecified
G71.21	Nemaline myopathy
G71.220	X-linked myotubular myopathy
G71.228	Other centronuclear myopathy
G71.29	Other congenital myopathy
G72.41	Inclusion body myositis [IBM]
G80.0	Spastic quadriplegic cerebral palsy
G80.1	Spastic diplegic cerebral palsy
G80.2	Spastic hemiplegic cerebral palsy
G80.3	Athetoid cerebral palsy
G80.4	Ataxic cerebral palsy
G80.8	Other cerebral palsy
G80.9	Cerebral palsy, unspecified
G81.00	Flaccid hemiplegia affecting unspecified side
G81.01	Flaccid hemiplegia affecting right dominant side
G81.02	Flaccid hemiplegia affecting left dominant side
G81.03	Flaccid hemiplegia affecting right nondominant side
G81.04	Flaccid hemiplegia affecting left nondominant side
G81.10	Spastic hemiplegia affecting unspecified side
G81.11	Spastic hemiplegia affecting right dominant side
G81.12	Spastic hemiplegia affecting left dominant side
G81.13	Spastic hemiplegia affecting right nondominant side
G81.14	Spastic hemiplegia affecting left nondominant side
G81.90	Hemiplegia, unspecified affecting unspecified side
G81.91	Hemiplegia, unspecified affecting right dominant side
G81.92	Hemiplegia, unspecified affecting left dominant side
G81.93	Hemiplegia, unspecified affecting right nondominant side
G81.94	Hemiplegia, unspecified affecting left nondominant side
G82.20	Paraplegia, unspecified
G82.21	Paraplegia, complete
G82.22	Paraplegia, incomplete
G82.50	Quadriplegia, unspecified
G82.51	Quadriplegia, C1-C4 complete
G82.52	Quadriplegia, C1-C4 incomplete
G82.53	Quadriplegia, C5-C7 complete
G82.54	Quadriplegia, C5-C7 incomplete

ICD-10-CM Code	Description
G83.10	Monoplegia of lower limb affecting unspecified side
G83.11	Monoplegia of lower limb affecting right dominant side
G83.12	Monoplegia of lower limb affecting left dominant side
G83.13	Monoplegia of lower limb affecting right nondominant side
G83.14	Monoplegia of lower limb affecting left nondominant side
G93.89	Other specified disorders of brain
G93.9	Disorder of brain, unspecified
G94	Other disorders of brain in diseases classified elsewhere
G95.0	Syringomyelia and syringobulbia
G95.11	Acute infarction of spinal cord (embolic) (nonembolic)
G95.19	Other vascular myelopathies
G99.2	Myelopathy in diseases classified elsewhere
I69.041	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side
I69.042	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side
I69.043	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side
I69.044	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side
I69.049	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting unspecified side
I69.051	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side
I69.052	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side
I69.053	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side
I69.054	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side
I69.059	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side
I69.141	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side
I69.142	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side
I69.143	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side
I69.144	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side
I69.149	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting unspecified side

ICD-10-CM Code	Description
I69.151	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side
I69.152	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side
I69.153	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side
I69.154	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side
I69.159	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side
I69.241	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right dominant side
I69.242	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left dominant side
I69.243	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side
I69.244	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side
I69.249	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting unspecified side
I69.251	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side
I69.252	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side
I69.253	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side
I69.254	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side
I69.259	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side
I69.341	Monoplegia of lower limb following cerebral infarction affecting right dominant side
I69.342	Monoplegia of lower limb following cerebral infarction affecting left dominant side
I69.343	Monoplegia of lower limb following cerebral infarction affecting right non-dominant side
I69.344	Monoplegia of lower limb following cerebral infarction affecting left non-dominant side
I69.349	Monoplegia of lower limb following cerebral infarction affecting unspecified side
I69.351	Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side
I69.352	Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
I69.353	Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side
I69.354	Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side
I69.359	Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side
I69.841	Monoplegia of lower limb following other cerebrovascular disease affecting right dominant side
I69.842	Monoplegia of lower limb following other cerebrovascular disease affecting left dominant side
I69.843	Monoplegia of lower limb following other cerebrovascular disease affecting right non-dominant side
I69.844	Monoplegia of lower limb following other cerebrovascular disease affecting left non-dominant side
I69.849	Monoplegia of lower limb following other cerebrovascular disease affecting unspecified side
I69.851	Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side
I69.852	Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side
I69.853	Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side
I69.854	Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side
I69.859	Hemiplegia and hemiparesis following other cerebrovascular disease affecting unspecified side
I69.941	Monoplegia of lower limb following unspecified cerebrovascular disease affecting right dominant side
I69.942	Monoplegia of lower limb following unspecified cerebrovascular disease affecting left dominant side
I69.943	Monoplegia of lower limb following unspecified cerebrovascular disease affecting right non-dominant side
I69.944	Monoplegia of lower limb following unspecified cerebrovascular disease affecting left non-dominant side
I69.949	Monoplegia of lower limb following unspecified cerebrovascular disease affecting unspecified side
I69.951	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side
I69.952	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side
I69.953	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side
I69.954	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
I69.959	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side
M62.3	Immobility syndrome (paraplegic)
M62.85	Dysfunction of the multifidus muscles, lumbar region
M62.89	Other specified disorders of muscle
Q03.0	Malformations of aqueduct of Sylvius
Q03.1	Atresia of foramina of Magendie and Luschka
Q03.8	Other congenital hydrocephalus
Q03.9	Congenital hydrocephalus, unspecified
Q05.0	Cervical spina bifida with hydrocephalus
Q05.1	Thoracic spina bifida with hydrocephalus
Q05.2	Lumbar spina bifida with hydrocephalus
Q05.3	Sacral spina bifida with hydrocephalus
Q05.4	Unspecified spina bifida with hydrocephalus
Q05.5	Cervical spina bifida without hydrocephalus
Q05.6	Thoracic spina bifida without hydrocephalus
Q05.7	Lumbar spina bifida without hydrocephalus
Q05.8	Sacral spina bifida without hydrocephalus
Q05.9	Spina bifida, unspecified
Q07.00	Arnold-Chiari syndrome without spina bifida or hydrocephalus
Q07.01	Arnold-Chiari syndrome with spina bifida
Q07.02	Arnold-Chiari syndrome with hydrocephalus
Q07.03	Arnold-Chiari syndrome with spina bifida and hydrocephalus
Q67.8	Other congenital deformities of chest
Q68.1	Congenital deformity of finger(s) and hand
Q72.01	Congenital complete absence of right lower limb
Q72.02	Congenital complete absence of left lower limb
Q72.03	Congenital complete absence of lower limb, bilateral
Q72.11	Congenital absence of right thigh and lower leg with foot present
Q72.12	Congenital absence of left thigh and lower leg with foot present
Q72.13	Congenital absence of thigh and lower leg with foot present, bilateral
Q74.3	Arthrogryposis multiplex congenita
Q78.0	Osteogenesis imperfecta
Q79.60	Ehlers-Danlos syndrome, unspecified
Q79.61	Classical Ehlers-Danlos syndrome
Q79.62	Hypermobile Ehlers-Danlos syndrome
Q79.63	Vascular Ehlers-Danlos syndrome
Q79.69	Other Ehlers-Danlos syndromes
Q90.0	Trisomy 21, nonmosaicism (meiotic nondisjunction)
Q90.1	Trisomy 21, mosaicism (mitotic nondisjunction)
Q90.2	Trisomy 21, translocation
Q90.9	Down syndrome, unspecified
S78.011A	Complete traumatic amputation at right hip joint, initial encounter

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
S78.011D	Complete traumatic amputation at right hip joint, subsequent encounter
S78.011S	Complete traumatic amputation at right hip joint, sequela
S78.012A	Complete traumatic amputation at left hip joint, initial encounter
S78.012D	Complete traumatic amputation at left hip joint, subsequent encounter
S78.012S	Complete traumatic amputation at left hip joint, sequela
S78.019A	Complete traumatic amputation at unspecified hip joint, initial encounter
S78.019D	Complete traumatic amputation at unspecified hip joint, subsequent encounter
S78.019S	Complete traumatic amputation at unspecified hip joint, sequela
S78.021A	Partial traumatic amputation at right hip joint, initial encounter
S78.021D	Partial traumatic amputation at right hip joint, subsequent encounter
S78.021S	Partial traumatic amputation at right hip joint, sequela
S78.022A	Partial traumatic amputation at left hip joint, initial encounter
S78.022D	Partial traumatic amputation at left hip joint, subsequent encounter
S78.022S	Partial traumatic amputation at left hip joint, sequela
S78.029A	Partial traumatic amputation at unspecified hip joint, initial encounter
S78.029D	Partial traumatic amputation at unspecified hip joint, subsequent encounter
S78.029S	Partial traumatic amputation at unspecified hip joint, sequela
S78.111A	Complete traumatic amputation at level between right hip and knee, initial encounter
S78.111D	Complete traumatic amputation at level between right hip and knee, subsequent encounter
S78.111S	Complete traumatic amputation at level between right hip and knee, sequela
S78.112A	Complete traumatic amputation at level between left hip and knee, initial encounter
S78.112D	Complete traumatic amputation at level between left hip and knee, subsequent encounter
S78.112S	Complete traumatic amputation at level between left hip and knee, sequela
S78.119A	Complete traumatic amputation at level between unspecified hip and knee, initial encounter
S78.119D	Complete traumatic amputation at level between unspecified hip and knee, subsequent encounter
S78.119S	Complete traumatic amputation at level between unspecified hip and knee, sequela
S78.121A	Partial traumatic amputation at level between right hip and knee, initial encounter
S78.121D	Partial traumatic amputation at level between right hip and knee, subsequent encounter
S78.121S	Partial traumatic amputation at level between right hip and knee, sequela
S78.122A	Partial traumatic amputation at level between left hip and knee, initial encounter
S78.122D	Partial traumatic amputation at level between left hip and knee, subsequent encounter
S78.122S	Partial traumatic amputation at level between left hip and knee, sequela
S78.129A	Partial traumatic amputation at level between unspecified hip and knee, initial encounter

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
S78.129D	Partial traumatic amputation at level between unspecified hip and knee, subsequent encounter
S78.129S	Partial traumatic amputation at level between unspecified hip and knee, sequela
S78.911A	Complete traumatic amputation of right hip and thigh, level unspecified, initial encounter
S78.911D	Complete traumatic amputation of right hip and thigh, level unspecified, subsequent encounter
S78.911S	Complete traumatic amputation of right hip and thigh, level unspecified, sequela
S78.912A	Complete traumatic amputation of left hip and thigh, level unspecified, initial encounter
S78.912D	Complete traumatic amputation of left hip and thigh, level unspecified, subsequent encounter
S78.912S	Complete traumatic amputation of left hip and thigh, level unspecified, sequela
S78.919A	Complete traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter
S78.919D	Complete traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter
S78.919S	Complete traumatic amputation of unspecified hip and thigh, level unspecified, sequela
S78.921A	Partial traumatic amputation of right hip and thigh, level unspecified, initial encounter
S78.921D	Partial traumatic amputation of right hip and thigh, level unspecified, subsequent encounter
S78.921S	Partial traumatic amputation of right hip and thigh, level unspecified, sequela
S78.922A	Partial traumatic amputation of left hip and thigh, level unspecified, initial encounter
S78.922D	Partial traumatic amputation of left hip and thigh, level unspecified, subsequent encounter
S78.922S	Partial traumatic amputation of left hip and thigh, level unspecified, sequela
S78.929A	Partial traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter
S78.929D	Partial traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter
S78.929S	Partial traumatic amputation of unspecified hip and thigh, level unspecified, sequela
S88.011A	Complete traumatic amputation at knee level, right lower leg, initial encounter
S88.011D	Complete traumatic amputation at knee level, right lower leg, subsequent encounter
S88.011S	Complete traumatic amputation at knee level, right lower leg, sequela
S88.012A	Complete traumatic amputation at knee level, left lower leg, initial encounter
S88.012D	Complete traumatic amputation at knee level, left lower leg, subsequent encounter
S88.012S	Complete traumatic amputation at knee level, left lower leg, sequela

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
S88.019A	Complete traumatic amputation at knee level, unspecified lower leg, initial encounter
S88.019D	Complete traumatic amputation at knee level, unspecified lower leg, subsequent encounter
S88.019S	Complete traumatic amputation at knee level, unspecified lower leg, sequela
S88.021A	Partial traumatic amputation at knee level, right lower leg, initial encounter
S88.021D	Partial traumatic amputation at knee level, right lower leg, subsequent encounter
S88.021S	Partial traumatic amputation at knee level, right lower leg, sequela
S88.022A	Partial traumatic amputation at knee level, left lower leg, initial encounter
S88.022D	Partial traumatic amputation at knee level, left lower leg, subsequent encounter
S88.022S	Partial traumatic amputation at knee level, left lower leg, sequela
S88.029A	Partial traumatic amputation at knee level, unspecified lower leg, initial encounter
S88.029D	Partial traumatic amputation at knee level, unspecified lower leg, subsequent encounter
S88.029S	Partial traumatic amputation at knee level, unspecified lower leg, sequela
S88.911A	Complete traumatic amputation of right lower leg, level unspecified, initial encounter
S88.911D	Complete traumatic amputation of right lower leg, level unspecified, subsequent encounter
S88.911S	Complete traumatic amputation of right lower leg, level unspecified, sequela
S88.912A	Complete traumatic amputation of left lower leg, level unspecified, initial encounter
S88.912D	Complete traumatic amputation of left lower leg, level unspecified, subsequent encounter
S88.912S	Complete traumatic amputation of left lower leg, level unspecified, sequela
S88.919A	Complete traumatic amputation of unspecified lower leg, level unspecified, initial encounter
S88.919D	Complete traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter
S88.919S	Complete traumatic amputation of unspecified lower leg, level unspecified, sequela
S88.921A	Partial traumatic amputation of right lower leg, level unspecified, initial encounter
S88.921D	Partial traumatic amputation of right lower leg, level unspecified, subsequent encounter
S88.921S	Partial traumatic amputation of right lower leg, level unspecified, sequela
S88.922A	Partial traumatic amputation of left lower leg, level unspecified, initial encounter
S88.922D	Partial traumatic amputation of left lower leg, level unspecified, subsequent encounter
S88.922S	Partial traumatic amputation of left lower leg, level unspecified, sequela
S88.929A	Partial traumatic amputation of unspecified lower leg, level unspecified, initial encounter
S88.929D	Partial traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter

ICD-10-CM Code	Description
S88.929S	Partial traumatic amputation of unspecified lower leg, level unspecified, sequela
Z89.511	Acquired absence of right leg below knee
Z89.512	Acquired absence of left leg below knee
Z89.519	Acquired absence of unspecified leg below knee
Z89.611	Acquired absence of right leg above knee
Z89.612	Acquired absence of left leg above knee
Z89.619	Acquired absence of unspecified leg above knee
Z89.621	Acquired absence of right hip joint
Z89.622	Acquired absence of left hip joint
Z89.629	Acquired absence of unspecified hip joint

ICD-10-CM Diagnosis Codes That Support Medical Necessity

ICD-10 Table 3 The following is a list of diagnosis codes that support medical necessity for HCPCS code(s) E2607, E2608, E2624, and E2625.

ICD-10-CM Code	Description
B91	Sequelae of poliomyelitis
E75.00	GM2 gangliosidosis, unspecified
E75.01	Sandhoff disease
E75.02	Tay-Sachs disease
E75.09	Other GM2 gangliosidosis
E75.10	Unspecified gangliosidosis
E75.11	Mucopolipidosis IV
E75.19	Other gangliosidosis
E75.23	Krabbe disease
E75.25	Metachromatic leukodystrophy
E75.27	Pelizaeus-Merzbacher disease
E75.28	Canavan disease
E75.29	Other sphingolipidosis
E75.4	Neuronal ceroid lipofuscinosis
F03.90	Unspecified dementia, unspecified severity, with behavioral disturbance
F03.911	Unspecified dementia, unspecified severity, with agitation
F03.918	Unspecified dementia, unspecified severity, with other behavioral disturbance
F03.92	Unspecified dementia, unspecified severity, with psychotic disturbance
F03.93	Unspecified dementia, unspecified severity, with mood disturbance
F03.94	Unspecified dementia, unspecified severity, with anxiety
F03.A11	Unspecified dementia, mild, with agitation
F03.A18	Unspecified dementia, mild, with other behavioral disturbance
F03.A2	Unspecified dementia, mild, with psychotic disturbance
F03.A3	Unspecified dementia, mild, with mood disturbance
F03.A4	Unspecified dementia, mild, with anxiety

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
F03.B11	Unspecified dementia, moderate, with agitation
F03.B18	Unspecified dementia, moderate, with other behavioral disturbance
F03.B2	Unspecified dementia, moderate, with psychotic disturbance
F03.B3	Unspecified dementia, moderate, with mood disturbance
F03.B4	Unspecified dementia, moderate, with anxiety
F03.C11	Unspecified dementia, severe, with agitation
F03.C18	Unspecified dementia, severe, with other behavioral disturbance
F03.C2	Unspecified dementia, severe, with psychotic disturbance
F03.C3	Unspecified dementia, severe, with mood disturbance
F03.C4	Unspecified dementia, severe, with anxiety
F84.2	Rett's syndrome
G04.1	Tropical spastic paraplegia
G04.82	Acute flaccid myelitis
G04.89	Other myelitis
G10	Huntington's disease
G11.0	Congenital nonprogressive ataxia
G11.10	Early-onset cerebellar ataxia, unspecified
G11.11	Friedreich ataxia
G11.19	Other early onset cerebellar ataxia,
G11.2	Late-onset cerebellar ataxia
G11.3	Cerebellar ataxia with defective DNA repair
G11.4	Hereditary spastic paraplegia
G11.8	Other hereditary ataxias
G11.9	Hereditary ataxia, unspecified
G12.0	Infantile spinal muscular atrophy, type I [Werdnig-Hoffman]
G12.1	Other inherited spinal muscular atrophy
G12.20	Motor neuron disease, unspecified
G12.21	Amyotrophic lateral sclerosis
G12.23	Primary lateral sclerosis
G12.24	Familial motor neuron disease
G12.25	Progressive spinal muscle atrophy
G12.29	Other motor neuron disease
G12.8	Other spinal muscular atrophies and related syndromes
G12.9	Spinal muscular atrophy, unspecified
G14	Postpolio syndrome
G20.A1	Parkinson's disease without dyskinesia, without mention of fluctuations
G20.A2	Parkinson's disease without dyskinesia, with fluctuations
G20.B1	Parkinson's disease with dyskinesia, without mention of fluctuations
G20.B2	Parkinson's disease with dyskinesia, with fluctuations
G20.C	Parkinsonism, unspecified
G21.4	Vascular parkinsonism
G24.1	Genetic torsion dystonia

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
G30.0	Alzheimer's disease with early onset
G30.1	Alzheimer's disease with late onset
G30.8	Other Alzheimer's disease
G30.9	Alzheimer's disease, unspecified
G31.80	Leukodystrophy, unspecified
G31.81	Alpers disease
G31.82	Leigh's disease
G31.83	Neurocognitive disorder with Lewy bodies
G31.86	Alexander disease
G31.89	Other specified degenerative diseases of nervous system
G32.0	Subacute combined degeneration of spinal cord in diseases classified elsewhere
G32.81	Cerebellar ataxia in diseases classified elsewhere
G32.89	Other specified degenerative disorders of nervous system in diseases classified elsewhere
G35	Multiple sclerosis
G36.0	Neuromyelitis optica [Devic]
G36.1	Acute and subacute hemorrhagic leukoencephalitis [Hurst]
G36.8	Other specified acute disseminated demyelination
G36.9	Acute disseminated demyelination, unspecified
G37.0	Diffuse sclerosis of central nervous system
G37.1	Central demyelination of corpus callosum
G37.2	Central pontine myelinolysis
G37.3	Acute transverse myelitis in demyelinating disease of central nervous system
G37.4	Subacute necrotizing myelitis of central nervous system
G37.5	Concentric sclerosis [Balo] of central nervous system
G37.81	Myelin oligodendrocyte glycoprotein antibody disease
G37.89	Other specified demyelinating diseases of central nervous system
G37.9	Demyelinating disease of central nervous system, unspecified
G60.0	Hereditary motor and sensory neuropathy
G61.0	Guillain-Barre syndrome
G70.00	Myasthenia gravis without (acute) exacerbation
G70.01	Myasthenia gravis with (acute) exacerbation
G71.00	Muscular dystrophy, unspecified
G71.01	Duchenne or Becker muscular dystrophy
G71.02	Facioscapulohumeral muscular dystrophy
G71.031	Autosomal dominant limb girdle muscular dystrophy
G71.032	Autosomal recessive limb girdle muscular dystrophy due to calpain-3 dysfunction
G71.033	Limb girdle muscular dystrophy due to dysferlin dysfunction
G71.0340	Limb girdle muscular dystrophy due to sarcoglycan dysfunction, unspecified
G71.0341	Limb girdle muscular dystrophy due to alpha sarcoglycan dysfunction
G71.0342	Limb girdle muscular dystrophy due to beta sarcoglycan dysfunction
G71.0349	Limb girdle muscular dystrophy due to other sarcoglycan dysfunction
G71.035	Limb girdle muscular dystrophy due to anoctamin-5 dysfunction

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
G71.038	Other limb girdle muscular dystrophy
G71.039	Limb girdle muscular dystrophy, unspecified
G71.09	Other specified muscular dystrophies
G71.11	Myotonic muscular dystrophy
G71.20	Congenital myopathy, unspecified
G71.21	Nemaline myopathy
G71.220	X-linked myotubular myopathy
G71.228	Other centronuclear myopathy
G71.29	Other congenital myopathy
G72.41	Inclusion body myositis [IBM]
G80.0	Spastic quadriplegic cerebral palsy
G80.1	Spastic diplegic cerebral palsy
G80.2	Spastic hemiplegic cerebral palsy
G80.3	Athetoid cerebral palsy
G80.4	Ataxic cerebral palsy
G80.8	Other cerebral palsy
G80.9	Cerebral palsy, unspecified
G81.00	Flaccid hemiplegia affecting unspecified side
G81.01	Flaccid hemiplegia affecting right dominant side
G81.02	Flaccid hemiplegia affecting left dominant side
G81.03	Flaccid hemiplegia affecting right nondominant side
G81.04	Flaccid hemiplegia affecting left nondominant side
G81.10	Spastic hemiplegia affecting unspecified side
G81.11	Spastic hemiplegia affecting right dominant side
G81.12	Spastic hemiplegia affecting left dominant side
G81.13	Spastic hemiplegia affecting right nondominant side
G81.14	Spastic hemiplegia affecting left nondominant side
G81.90	Hemiplegia, unspecified affecting unspecified side
G81.91	Hemiplegia, unspecified affecting right dominant side
G81.92	Hemiplegia, unspecified affecting left dominant side
G81.93	Hemiplegia, unspecified affecting right nondominant side
G81.94	Hemiplegia, unspecified affecting left nondominant side
G82.20	Paraplegia, unspecified
G82.21	Paraplegia, complete
G82.22	Paraplegia, incomplete
G82.50	Quadriplegia, unspecified
G82.51	Quadriplegia, C1-C4 complete
G82.52	Quadriplegia, C1-C4 incomplete
G82.53	Quadriplegia, C5-C7 complete
G82.54	Quadriplegia, C5-C7 incomplete
G93.89	Other specified disorders of brain
G93.9	Disorder of brain, unspecified
G94	Other disorders of brain in diseases classified elsewhere

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
G95.0	Syringomyelia and syringobulbia
G95.11	Acute infarction of spinal cord (embolic) (nonembolic)
G95.19	Other vascular myelopathies
G99.2	Myelopathy in diseases classified elsewhere
I69.051	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side
I69.052	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side
I69.053	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side
I69.054	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side
I69.059	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side
I69.151	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side
I69.152	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side
I69.153	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side
I69.154	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side
I69.159	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side
I69.251	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side
I69.252	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side
I69.253	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side
I69.254	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side
I69.259	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side
I69.351	Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side
I69.352	Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side
I69.353	Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side
I69.354	Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side
I69.359	Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
I69.851	Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side
I69.852	Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side
I69.853	Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side
I69.854	Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side
I69.859	Hemiplegia and hemiparesis following other cerebrovascular disease affecting unspecified side
I69.951	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side
I69.952	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side
I69.953	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side
I69.954	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side
I69.959	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side
M62.3	Immobility syndrome (paraplegic)
M62.85	Dysfunction of the multifidus muscles, lumbar region
M62.89	Other specified disorders of muscle
Q03.0	Malformations of aqueduct of Sylvius
Q03.1	Atresia of foramina of Magendie and Luschka
Q03.8	Other congenital hydrocephalus
Q03.9	Congenital hydrocephalus, unspecified
Q05.0	Cervical spina bifida with hydrocephalus
Q05.1	Thoracic spina bifida with hydrocephalus
Q05.2	Lumbar spina bifida with hydrocephalus
Q05.3	Sacral spina bifida with hydrocephalus
Q05.4	Unspecified spina bifida with hydrocephalus
Q05.5	Cervical spina bifida without hydrocephalus
Q05.6	Thoracic spina bifida without hydrocephalus
Q05.7	Lumbar spina bifida without hydrocephalus
Q05.8	Sacral spina bifida without hydrocephalus
Q05.9	Spina bifida, unspecified
Q07.00	Arnold-Chiari syndrome without spina bifida or hydrocephalus
Q07.01	Arnold-Chiari syndrome with spina bifida
Q07.02	Arnold-Chiari syndrome with hydrocephalus
Q07.03	Arnold-Chiari syndrome with spina bifida and hydrocephalus
Q67.8	Other congenital deformities of chest
Q68.1	Congenital deformity of finger(s) and hand

ICD-10-CM Code	Description
Q74.3	Arthrogryposis multiplex congenita
Q78.0	Osteogenesis imperfecta
Q79.60	Ehlers-Danlos syndrome, unspecified
Q79.62	Hypermobile Ehlers-Danlos syndrome
Q79.63	Vascular Ehlers-Danlos syndrome
Q79.69	Other Ehlers-Danlos syndromes
Q90.0	Trisomy 21, nonmosaicism (meiotic nondisjunction)
Q90.1	Trisomy 21, mosaicism (mitotic nondisjunction)
Q90.2	Trisomy 21, translocation
Q90.9	Down syndrome, unspecified

ICD-10-CM Diagnosis Codes That Support Medical Necessity

ICD-10 Table 4 The following is a list of diagnosis codes that support medical necessity for HCPCS code(s) E2607, E2608, E2624, and E2625 for patients with pressure ulcers:

ICD-10-CM codes L89.130, L89.131, L89.132, L89.133, L89.134, L89.140, L89.141, L89.142, L89.143, L89.144, L89.150, L89.151, L89.152, L89.153, L89.154, , L89.200, L89.201, L89.202, L89.203, L89.204, L89.210, L89.211, L89.212, L89.213, L89.214, L89.220, L89.221, L89.222, L89.223, L89.224, L89.300, L89.301, L89.302, L89.303, L89.304, L89.310, L89.311, L89.312, L89.313, L89.314, L89.320, L89.321, L89.322, L89.323, L89.324, L89.41, L89.42, L89.43, L89.44, L89.45, Z87.2. The applicable diagnosis code for pressure ulcer must be billed with one of the codes below

ICD-10-CM Code	Description
G83.10	Monoplegia of lower limb affecting unspecified side
G83.11	Monoplegia of lower limb affecting right dominant side
G83.12	Monoplegia of lower limb affecting left dominant side
G83.13	Monoplegia of lower limb affecting right nondominant side
G83.14	Monoplegia of lower limb affecting left nondominant side
I69.041	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side
I69.042	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side
I69.043	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side
I69.044	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side
I69.049	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting unspecified side
I69.141	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
I69.142	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side
I69.143	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side
I69.144	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side
I69.149	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting unspecified side
I69.241	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right dominant side
I69.242	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left dominant side
I69.243	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side
I69.244	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side
I69.249	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting unspecified side
I69.341	Monoplegia of lower limb following cerebral infarction affecting right dominant side
I69.342	Monoplegia of lower limb following cerebral infarction affecting left dominant side
I69.343	Monoplegia of lower limb following cerebral infarction affecting right non-dominant side
I69.344	Monoplegia of lower limb following cerebral infarction affecting left non-dominant side
I69.349	Monoplegia of lower limb following cerebral infarction affecting unspecified side
I69.841	Monoplegia of lower limb following other cerebrovascular disease affecting right dominant side
I69.842	Monoplegia of lower limb following other cerebrovascular disease affecting left dominant side
I69.843	Monoplegia of lower limb following other cerebrovascular disease affecting right non-dominant side
I69.844	Monoplegia of lower limb following other cerebrovascular disease affecting left non-dominant side
I69.849	Monoplegia of lower limb following other cerebrovascular disease affecting unspecified side
I69.941	Monoplegia of lower limb following unspecified cerebrovascular disease affecting right dominant side
I69.942	Monoplegia of lower limb following unspecified cerebrovascular disease affecting left dominant side
I69.943	Monoplegia of lower limb following unspecified cerebrovascular disease affecting right non-dominant side

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
I69.944	Monoplegia of lower limb following unspecified cerebrovascular disease affecting left non-dominant side
I69.949	Monoplegia of lower limb following unspecified cerebrovascular disease affecting unspecified side
Q72.01	Congenital complete absence of right lower limb
Q72.02	Congenital complete absence of left lower limb
Q72.03	Congenital complete absence of lower limb, bilateral
Q72.11	Congenital absence of right thigh and lower leg with foot present
Q72.12	Congenital absence of left thigh and lower leg with foot present
Q72.13	Congenital absence of thigh and lower leg with foot present, bilateral
Q78.0	Osteogenesis imperfecta
S78.011A	Complete traumatic amputation at right hip joint, initial encounter
S78.011D	Complete traumatic amputation at right hip joint, subsequent encounter
S78.011S	Complete traumatic amputation at right hip joint, sequela
S78.012A	Complete traumatic amputation at left hip joint, initial encounter
S78.012D	Complete traumatic amputation at left hip joint, subsequent encounter
S78.012S	Complete traumatic amputation at left hip joint, sequela
S78.019A	Complete traumatic amputation at unspecified hip joint, initial encounter
S78.019D	Complete traumatic amputation at unspecified hip joint, subsequent encounter
S78.019S	Complete traumatic amputation at unspecified hip joint, sequela
S78.021A	Partial traumatic amputation at right hip joint, initial encounter
S78.021D	Partial traumatic amputation at right hip joint, subsequent encounter
S78.021S	Partial traumatic amputation at right hip joint, sequela
S78.022A	Partial traumatic amputation at left hip joint, initial encounter
S78.022D	Partial traumatic amputation at left hip joint, subsequent encounter
S78.022S	Partial traumatic amputation at left hip joint, sequela
S78.029A	Partial traumatic amputation at unspecified hip joint, initial encounter
S78.029D	Partial traumatic amputation at unspecified hip joint, subsequent encounter
S78.029S	Partial traumatic amputation at unspecified hip joint, sequela
S78.111A	Complete traumatic amputation at level between right hip and knee, initial encounter
S78.111D	Complete traumatic amputation at level between right hip and knee, subsequent encounter
S78.111S	Complete traumatic amputation at level between right hip and knee, sequela
S78.112A	Complete traumatic amputation at level between left hip and knee, initial encounter
S78.112D	Complete traumatic amputation at level between left hip and knee, subsequent encounter
S78.112S	Complete traumatic amputation at level between left hip and knee, sequela
S78.119A	Complete traumatic amputation at level between unspecified hip and knee, initial encounter
S78.119D	Complete traumatic amputation at level between unspecified hip and knee, subsequent encounter

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
S78.119S	Complete traumatic amputation at level between unspecified hip and knee, sequela
S78.121A	Partial traumatic amputation at level between right hip and knee, initial encounter
S78.121D	Partial traumatic amputation at level between right hip and knee, subsequent encounter
S78.121S	Partial traumatic amputation at level between right hip and knee, sequela
S78.122A	Partial traumatic amputation at level between left hip and knee, initial encounter
S78.122D	Partial traumatic amputation at level between left hip and knee, subsequent encounter
S78.122S	Partial traumatic amputation at level between left hip and knee, sequela
S78.129A	Partial traumatic amputation at level between unspecified hip and knee, initial encounter
S78.129D	Partial traumatic amputation at level between unspecified hip and knee, subsequent encounter
S78.129S	Partial traumatic amputation at level between unspecified hip and knee, sequela
S78.911A	Complete traumatic amputation of right hip and thigh, level unspecified, initial encounter
S78.911D	Complete traumatic amputation of right hip and thigh, level unspecified, subsequent encounter
S78.911S	Complete traumatic amputation of right hip and thigh, level unspecified, sequela
S78.912A	Complete traumatic amputation of left hip and thigh, level unspecified, initial encounter
S78.912D	Complete traumatic amputation of left hip and thigh, level unspecified, subsequent encounter
S78.912S	Complete traumatic amputation of left hip and thigh, level unspecified, sequela
S78.919A	Complete traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter
S78.919D	Complete traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter
S78.919S	Complete traumatic amputation of unspecified hip and thigh, level unspecified, sequela
S78.921A	Partial traumatic amputation of right hip and thigh, level unspecified, initial encounter
S78.921D	Partial traumatic amputation of right hip and thigh, level unspecified, subsequent encounter
S78.921S	Partial traumatic amputation of right hip and thigh, level unspecified, sequela
S78.922A	Partial traumatic amputation of left hip and thigh, level unspecified, initial encounter
S78.922D	Partial traumatic amputation of left hip and thigh, level unspecified, subsequent encounter
S78.922S	Partial traumatic amputation of left hip and thigh, level unspecified, sequela
S78.929A	Partial traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
S78.929D	Partial traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter
S78.929S	Partial traumatic amputation of unspecified hip and thigh, level unspecified, sequela
S88.011A	Complete traumatic amputation at knee level, right lower leg, initial encounter
S88.011D	Complete traumatic amputation at knee level, right lower leg, subsequent encounter
S88.011S	Complete traumatic amputation at knee level, right lower leg, sequela
S88.012A	Complete traumatic amputation at knee level, left lower leg, initial encounter
S88.012D	Complete traumatic amputation at knee level, left lower leg, subsequent encounter
S88.012S	Complete traumatic amputation at knee level, left lower leg, sequela
S88.019A	Complete traumatic amputation at knee level, unspecified lower leg, initial encounter
S88.019D	Complete traumatic amputation at knee level, unspecified lower leg, subsequent encounter
S88.019S	Complete traumatic amputation at knee level, unspecified lower leg, sequela
S88.021A	Partial traumatic amputation at knee level, right lower leg, initial encounter
S88.021D	Partial traumatic amputation at knee level, right lower leg, subsequent encounter
S88.021S	Partial traumatic amputation at knee level, right lower leg, sequela
S88.022A	Partial traumatic amputation at knee level, left lower leg, initial encounter
S88.022D	Partial traumatic amputation at knee level, left lower leg, subsequent encounter
S88.022S	Partial traumatic amputation at knee level, left lower leg, sequela
S88.029A	Partial traumatic amputation at knee level, unspecified lower leg, initial encounter
S88.029D	Partial traumatic amputation at knee level, unspecified lower leg, subsequent encounter
S88.029S	Partial traumatic amputation at knee level, unspecified lower leg, sequela
S88.911A	Complete traumatic amputation of right lower leg, level unspecified, initial encounter
S88.911D	Complete traumatic amputation of right lower leg, level unspecified, subsequent encounter
S88.911S	Complete traumatic amputation of right lower leg, level unspecified, sequela
S88.912A	Complete traumatic amputation of left lower leg, level unspecified, initial encounter
S88.912D	Complete traumatic amputation of left lower leg, level unspecified, subsequent encounter
S88.912S	Complete traumatic amputation of left lower leg, level unspecified, sequela
S88.919A	Complete traumatic amputation of unspecified lower leg, level unspecified, initial encounter
S88.919D	Complete traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter
S88.919S	Complete traumatic amputation of unspecified lower leg, level unspecified, sequela
S88.921A	Partial traumatic amputation of right lower leg, level unspecified, initial encounter

ICD-10-CM Code	Description
S88.921D	Partial traumatic amputation of right lower leg, level unspecified, subsequent encounter
S88.921S	Partial traumatic amputation of right lower leg, level unspecified, sequela
S88.922A	Partial traumatic amputation of left lower leg, level unspecified, initial encounter
S88.922D	Partial traumatic amputation of left lower leg, level unspecified, subsequent encounter
S88.922S	Partial traumatic amputation of left lower leg, level unspecified, sequela
S88.929A	Partial traumatic amputation of unspecified lower leg, level unspecified, initial encounter
S88.929D	Partial traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter
S88.929S	Partial traumatic amputation of unspecified lower leg, level unspecified, sequela
Z87.2	Personal history of diseases of the skin and subcutaneous tissue
Z89.511	Acquired absence of right leg below knee
Z89.512	Acquired absence of left leg below knee
Z89.519	Acquired absence of unspecified leg below knee
Z89.611	Acquired absence of right leg above knee
Z89.612	Acquired absence of left leg above knee
Z89.619	Acquired absence of unspecified leg above knee
Z89.621	Acquired absence of right hip joint
Z89.622	Acquired absence of left hip joint
Z89.629	Acquired absence of unspecified hip joint

ICD-10-CM Diagnosis Codes That Support Medical Necessity

ICD-10 Table 5 The following is a list of diagnosis codes that support medical necessity for HCPCS code E2609.

ICD-10-CM Code	Description
B91	Sequelae of poliomyelitis
E75.00	GM2 gangliosidosis, unspecified
E75.01	Sandhoff disease
E75.02	Tay-Sachs disease
E75.09	Other GM2 gangliosidosis
E75.10	Unspecified gangliosidosis
E75.11	Mucopolipidosis IV
E75.19	Other gangliosidosis
E75.23	Krabbe disease
E75.25	Metachromatic leukodystrophy
E75.27	Pelizaeus-Merzbacher disease
E75.28	Canavan disease
E75.29	Other sphingolipidosis

ICD-10-CM Code	Description
E75.4	Neuronal ceroid lipofuscinosis
F03.90	Unspecified dementia, unspecified severity, with behavioral disturbance
F03.911	Unspecified dementia, unspecified severity, with agitation
F03.918	Unspecified dementia, unspecified severity, with other behavioral disturbance
F03.92	Unspecified dementia, unspecified severity, with psychotic disturbance
F03.93	Unspecified dementia, unspecified severity, with mood disturbance
F03.94	Unspecified dementia, unspecified severity, with anxiety
F03.A11	Unspecified dementia, mild, with agitation
F03.A18	Unspecified dementia, mild, with other behavioral disturbance
F03.A2	Unspecified dementia, mild, with psychotic disturbance
F03.A3	Unspecified dementia, mild, with mood disturbance
F03.A4	Unspecified dementia, mild, with anxiety
F03.B11	Unspecified dementia, moderate, with agitation
F03.B18	Unspecified dementia, moderate, with other behavioral disturbance
F03.B2	Unspecified dementia, moderate, with psychotic disturbance
F03.B3	Unspecified dementia, moderate, with mood disturbance
F03.B4	Unspecified dementia, moderate, with anxiety
F03.C11	Unspecified dementia, severe, with agitation
F03.C18	Unspecified dementia, severe, with other behavioral disturbance
F03.C2	Unspecified dementia, severe, with psychotic disturbance
F03.C3	Unspecified dementia, severe, with mood disturbance
F03.C4	Unspecified dementia, severe, with anxiety
F84.2	Rett's syndrome
G04.1	Tropical spastic paraplegia
G04.82	Acute flaccid myelitis
G04.89	Other myelitis
G10	Huntington's disease
G11.0	Congenital nonprogressive ataxia
G11.10	Early-onset cerebellar ataxia, unspecified
G11.11	Friedreich ataxia
G11.19	Other early onset cerebellar ataxia
G11.2	Late-onset cerebellar ataxia
G11.3	Cerebellar ataxia with defective DNA repair
G11.4	Hereditary spastic paraplegia
G11.8	Other hereditary ataxias
G11.9	Hereditary ataxia, unspecified
G12.0	Infantile spinal muscular atrophy, type I [Werdnig-Hoffman]
G12.1	Other inherited spinal muscular atrophy
G12.20	Motor neuron disease, unspecified
G12.21	Amyotrophic lateral sclerosis
G12.23	Primary lateral sclerosis
G12.24	Familial motor neuron disease
G12.25	Progressive spinal muscle atrophy

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
G12.29	Other motor neuron disease
G12.8	Other spinal muscular atrophies and related syndromes
G12.9	Spinal muscular atrophy, unspecified
G14	Postpolio syndrome
G20.A1	Parkinson's disease without dyskinesia, without mention of fluctuations
G20.A2	Parkinson's disease without dyskinesia, with fluctuations
G20.B1	Parkinson's disease with dyskinesia, without mention of fluctuations
G20.B2	Parkinson's disease with dyskinesia, with fluctuations
G20.C	Parkinsonism, unspecified
G21.4	Vascular parkinsonism
G24.1	Genetic torsion dystonia
G30.0	Alzheimer's disease with early onset
G30.1	Alzheimer's disease with late onset
G30.8	Other Alzheimer's disease
G30.9	Alzheimer's disease, unspecified
G31.80	Leukodystrophy, unspecified
G31.81	Alpers disease
G31.82	Leigh's disease
G31.83	Neurocognitive disorder with Lewy bodies
G31.86	Alexander disease
G31.89	Other specified degenerative diseases of nervous system
G32.0	Subacute combined degeneration of spinal cord in diseases classified elsewhere
G32.81	Cerebellar ataxia in diseases classified elsewhere
G32.89	Other specified degenerative disorders of nervous system in diseases classified elsewhere
G35	Multiple sclerosis
G36.0	Neuromyelitis optica [Devic]
G36.1	Acute and subacute hemorrhagic leukoencephalitis [Hurst]
G36.8	Other specified acute disseminated demyelination
G36.9	Acute disseminated demyelination, unspecified
G37.0	Diffuse sclerosis of central nervous system
G37.1	Central demyelination of corpus callosum
G37.2	Central pontine myelinolysis
G37.3	Acute transverse myelitis in demyelinating disease of central nervous system
G37.4	Subacute necrotizing myelitis of central nervous system
G37.5	Concentric sclerosis [Balo] of central nervous system
G37.81	Myelin oligodendrocyte glycoprotein antibody disease
G37.89	Other specified demyelinating diseases of central nervous system
G37.9	Demyelinating disease of central nervous system, unspecified
G60.0	Hereditary motor and sensory neuropathy
G61.0	Guillain-Barre syndrome
G71.00	Muscular dystrophy, unspecified
G71.01	Duchenne or Becker muscular dystrophy

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
G71.02	Facioscapulohumeral muscular dystrophy
G71.031	Autosomal dominant limb girdle muscular dystrophy
G71.032	Autosomal recessive limb girdle muscular dystrophy due to calpain-3 dysfunction
G71.033	Limb girdle muscular dystrophy due to dysferlin dysfunction
G71.0340	Limb girdle muscular dystrophy due to sarcoglycan dysfunction, unspecified
G71.0341	Limb girdle muscular dystrophy due to alpha sarcoglycan dysfunction
G71.0342	Limb girdle muscular dystrophy due to beta sarcoglycan dysfunction
G71.0349	Limb girdle muscular dystrophy due to other sarcoglycan dysfunction
G71.035	Limb girdle muscular dystrophy due to anoctamin-5 dysfunction
G71.038	Other limb girdle muscular dystrophy
G71.039	Limb girdle muscular dystrophy, unspecified
G71.09	Other specified muscular dystrophies
G71.11	Myotonic muscular dystrophy
G71.20	Congenital myopathy, unspecified
G71.21	Nemaline myopathy
G71.220	X-linked myotubular myopathy
G71.228	Other centronuclear myopathy
G71.29	Other congenital myopathy
G80.0	Spastic quadriplegic cerebral palsy
G80.1	Spastic diplegic cerebral palsy
G80.2	Spastic hemiplegic cerebral palsy
G80.3	Athetoid cerebral palsy
G80.4	Ataxic cerebral palsy
G80.8	Other cerebral palsy
G80.9	Cerebral palsy, unspecified
G81.00	Flaccid hemiplegia affecting unspecified side
G81.01	Flaccid hemiplegia affecting right dominant side
G81.02	Flaccid hemiplegia affecting left dominant side
G81.03	Flaccid hemiplegia affecting right nondominant side
G81.04	Flaccid hemiplegia affecting left nondominant side
G81.10	Spastic hemiplegia affecting unspecified side
G81.11	Spastic hemiplegia affecting right dominant side
G81.12	Spastic hemiplegia affecting left dominant side
G81.13	Spastic hemiplegia affecting right nondominant side
G81.14	Spastic hemiplegia affecting left nondominant side
G81.90	Hemiplegia, unspecified affecting unspecified side
G81.91	Hemiplegia, unspecified affecting right dominant side
G81.92	Hemiplegia, unspecified affecting left dominant side
G81.93	Hemiplegia, unspecified affecting right nondominant side
G81.94	Hemiplegia, unspecified affecting left nondominant side
G82.20	Paraplegia, unspecified

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
G82.21	Paraplegia, complete
G82.22	Paraplegia, incomplete
G82.50	Quadriplegia, unspecified
G82.51	Quadriplegia, C1-C4 complete
G82.52	Quadriplegia, C1-C4 incomplete
G82.53	Quadriplegia, C5-C7 complete
G82.54	Quadriplegia, C5-C7 incomplete
G83.10	Monoplegia of lower limb affecting unspecified side
G83.11	Monoplegia of lower limb affecting right dominant side
G83.12	Monoplegia of lower limb affecting left dominant side
G83.13	Monoplegia of lower limb affecting right nondominant side
G83.14	Monoplegia of lower limb affecting left nondominant side
G93.89	Other specified disorders of brain
G93.9	Disorder of brain, unspecified
G94	Other disorders of brain in diseases classified elsewhere
G95.0	Syringomyelia and syringobulbia
G95.11	Acute infarction of spinal cord (embolic) (nonembolic)
G95.19	Other vascular myelopathies
G99.2	Myelopathy in diseases classified elsewhere
I69.041	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side
I69.042	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side
I69.043	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side
I69.044	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side
I69.049	Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting unspecified side
I69.051	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side
I69.052	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side
I69.053	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side
I69.054	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side
I69.059	Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side
I69.141	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side
I69.142	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side

ICD-10-CM Code	Description
I69.143	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side
I69.144	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side
I69.149	Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting unspecified side
I69.151	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side
I69.152	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side
I69.153	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side
I69.154	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side
I69.159	Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side
I69.241	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right dominant side
I69.242	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left dominant side
I69.243	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side
I69.244	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side
I69.249	Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting unspecified side
I69.251	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side
I69.252	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side
I69.253	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side
I69.254	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side
I69.259	Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side
I69.341	Monoplegia of lower limb following cerebral infarction affecting right dominant side
I69.342	Monoplegia of lower limb following cerebral infarction affecting left dominant side
I69.343	Monoplegia of lower limb following cerebral infarction affecting right non-dominant side
I69.344	Monoplegia of lower limb following cerebral infarction affecting left non-dominant side

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
I69.349	Monoplegia of lower limb following cerebral infarction affecting unspecified side
I69.351	Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side
I69.352	Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side
I69.353	Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side
I69.354	Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side
I69.359	Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side
I69.841	Monoplegia of lower limb following other cerebrovascular disease affecting right dominant side
I69.842	Monoplegia of lower limb following other cerebrovascular disease affecting left dominant side
I69.843	Monoplegia of lower limb following other cerebrovascular disease affecting right non-dominant side
I69.844	Monoplegia of lower limb following other cerebrovascular disease affecting left non-dominant side
I69.849	Monoplegia of lower limb following other cerebrovascular disease affecting unspecified side
I69.851	Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side
I69.852	Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side
I69.853	Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side
I69.854	Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side
I69.859	Hemiplegia and hemiparesis following other cerebrovascular disease affecting unspecified side
I69.941	Monoplegia of lower limb following unspecified cerebrovascular disease affecting right dominant side
I69.942	Monoplegia of lower limb following unspecified cerebrovascular disease affecting left dominant side
I69.943	Monoplegia of lower limb following unspecified cerebrovascular disease affecting right non-dominant side
I69.944	Monoplegia of lower limb following unspecified cerebrovascular disease affecting left non-dominant side
I69.949	Monoplegia of lower limb following unspecified cerebrovascular disease affecting unspecified side
I69.951	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
I69.952	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side
I69.953	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side
I69.954	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side
I69.959	Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side
L89.130	Pressure ulcer of right lower back, unstageable
L89.131	Pressure ulcer of right lower back, stage 1
L89.132	Pressure ulcer of right lower back, stage 2
L89.133	Pressure ulcer of right lower back, stage 3
L89.134	Pressure ulcer of right lower back, stage 4
L89.140	Pressure ulcer of left lower back, unstageable
L89.141	Pressure ulcer of left lower back, stage 1
L89.142	Pressure ulcer of left lower back, stage 2
L89.143	Pressure ulcer of left lower back, stage 3
L89.144	Pressure ulcer of left lower back, stage 4
L89.150	Pressure ulcer of sacral region, unstageable
L89.151	Pressure ulcer of sacral region, stage 1
L89.152	Pressure ulcer of sacral region, stage 2
L89.153	Pressure ulcer of sacral region, stage 3
L89.154	Pressure ulcer of sacral region, stage 4
L89.200	Pressure ulcer of unspecified hip, unstageable
L89.201	Pressure ulcer of unspecified hip, stage 1
L89.202	Pressure ulcer of unspecified hip, stage 2
L89.203	Pressure ulcer of unspecified hip, stage 3
L89.204	Pressure ulcer of unspecified hip, stage 4
L89.210	Pressure ulcer of right hip, unstageable
L89.211	Pressure ulcer of right hip, stage 1
L89.212	Pressure ulcer of right hip, stage 2
L89.213	Pressure ulcer of right hip, stage 3
L89.214	Pressure ulcer of right hip, stage 4
L89.220	Pressure ulcer of left hip, unstageable
L89.221	Pressure ulcer of left hip, stage 1
L89.222	Pressure ulcer of left hip, stage 2
L89.223	Pressure ulcer of left hip, stage 3
L89.224	Pressure ulcer of left hip, stage 4
L89.300	Pressure ulcer of unspecified buttock, unstageable
L89.301	Pressure ulcer of unspecified buttock, stage 1
L89.302	Pressure ulcer of unspecified buttock, stage 2
L89.303	Pressure ulcer of unspecified buttock, stage 3
L89.304	Pressure ulcer of unspecified buttock, stage 4

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
L89.310	Pressure ulcer of right buttock, unstageable
L89.311	Pressure ulcer of right buttock, stage 1
L89.312	Pressure ulcer of right buttock, stage 2
L89.313	Pressure ulcer of right buttock, stage 3
L89.314	Pressure ulcer of right buttock, stage 4
L89.320	Pressure ulcer of left buttock, unstageable
L89.321	Pressure ulcer of left buttock, stage 1
L89.322	Pressure ulcer of left buttock, stage 2
L89.323	Pressure ulcer of left buttock, stage 3
L89.324	Pressure ulcer of left buttock, stage 4
L89.41	Pressure ulcer of contiguous site of back, buttock and hip, stage 1
L89.42	Pressure ulcer of contiguous site of back, buttock and hip, stage 2
L89.43	Pressure ulcer of contiguous site of back, buttock and hip, stage 3
L89.44	Pressure ulcer of contiguous site of back, buttock and hip, stage 4
L89.45	Pressure ulcer of contiguous site of back, buttock and hip, unstageable
M62.3	Immobility syndrome (paraplegic)
M62.89	Other specified disorders of muscle
Q05.0	Cervical spina bifida with hydrocephalus
Q05.1	Thoracic spina bifida with hydrocephalus
Q05.2	Lumbar spina bifida with hydrocephalus
Q05.3	Sacral spina bifida with hydrocephalus
Q05.4	Unspecified spina bifida with hydrocephalus
Q05.5	Cervical spina bifida without hydrocephalus
Q05.6	Thoracic spina bifida without hydrocephalus
Q05.7	Lumbar spina bifida without hydrocephalus
Q05.8	Sacral spina bifida without hydrocephalus
Q05.9	Spina bifida, unspecified
Q07.00	Arnold-Chiari syndrome without spina bifida or hydrocephalus
Q07.01	Arnold-Chiari syndrome with spina bifida
Q07.02	Arnold-Chiari syndrome with hydrocephalus
Q07.03	Arnold-Chiari syndrome with spina bifida and hydrocephalus
Q67.8	Other congenital deformities of chest
Q68.1	Congenital deformity of finger(s) and hand
Q72.01	Congenital complete absence of right lower limb
Q72.02	Congenital complete absence of left lower limb
Q72.03	Congenital complete absence of lower limb, bilateral
Q72.11	Congenital absence of right thigh and lower leg with foot present
Q72.12	Congenital absence of left thigh and lower leg with foot present
Q72.13	Congenital absence of thigh and lower leg with foot present, bilateral
Q74.3	Arthrogryposis multiplex congenita
Q78.0	Osteogenesis imperfect
Q79.60	Ehlers-Danlos syndrome, unspecified
Q79.61	Classical Ehlers-Danlos syndrome

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
Q79.62	Hypermobile Ehlers-Danlos syndrome
Q79.63	Vascular Ehlers-Danlos syndrome
Q79.69	Other Ehlers-Danlos syndromes
Q90.0	Trisomy 21, nonmosaicism (meiotic nondisjunction)
Q90.1	Trisomy 21, mosaicism (mitotic nondisjunction)
Q90.2	Trisomy 21, translocation
Q90.9	Down syndrome, unspecified
S78.011A	Complete traumatic amputation at right hip joint, initial encounter
S78.011D	Complete traumatic amputation at right hip joint, subsequent encounter
S78.011S	Complete traumatic amputation at right hip joint, sequela
S78.012A	Complete traumatic amputation at left hip joint, initial encounter
S78.012D	Complete traumatic amputation at left hip joint, subsequent encounter
S78.012S	Complete traumatic amputation at left hip joint, sequela
S78.019A	Complete traumatic amputation at unspecified hip joint, initial encounter
S78.019D	Complete traumatic amputation at unspecified hip joint, subsequent encounter
S78.019S	Complete traumatic amputation at unspecified hip joint, sequela
S78.021A	Partial traumatic amputation at right hip joint, initial encounter
S78.021D	Partial traumatic amputation at right hip joint, subsequent encounter
S78.021S	Partial traumatic amputation at right hip joint, sequela
S78.022A	Partial traumatic amputation at left hip joint, initial encounter
S78.022D	Partial traumatic amputation at left hip joint, subsequent encounter
S78.022S	Partial traumatic amputation at left hip joint, sequela
S78.029A	Partial traumatic amputation at unspecified hip joint, initial encounter
S78.029D	Partial traumatic amputation at unspecified hip joint, subsequent encounter
S78.029S	Partial traumatic amputation at unspecified hip joint, sequela
S78.111A	Complete traumatic amputation at level between right hip and knee, initial encounter
S78.111D	Complete traumatic amputation at level between right hip and knee, subsequent encounter
S78.111S	Complete traumatic amputation at level between right hip and knee, sequela
S78.112A	Complete traumatic amputation at level between left hip and knee, initial encounter
S78.112D	Complete traumatic amputation at level between left hip and knee, subsequent encounter
S78.112S	Complete traumatic amputation at level between left hip and knee, sequela
S78.119A	Complete traumatic amputation at level between unspecified hip and knee, initial encounter
S78.119D	Complete traumatic amputation at level between unspecified hip and knee, subsequent encounter
S78.119S	Complete traumatic amputation at level between unspecified hip and knee, sequela
S78.121A	Partial traumatic amputation at level between right hip and knee, initial encounter

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
S78.121D	Partial traumatic amputation at level between right hip and knee, subsequent encounter
S78.121S	Partial traumatic amputation at level between right hip and knee, sequela
S78.122A	Partial traumatic amputation at level between left hip and knee, initial encounter
S78.122D	Partial traumatic amputation at level between left hip and knee, subsequent encounter
S78.122S	Partial traumatic amputation at level between left hip and knee, sequela
S78.129A	Partial traumatic amputation at level between unspecified hip and knee, initial encounter
S78.129D	Partial traumatic amputation at level between unspecified hip and knee, subsequent encounter
S78.129S	Partial traumatic amputation at level between unspecified hip and knee, sequela
S78.911A	Complete traumatic amputation of right hip and thigh, level unspecified, initial encounter
S78.911D	Complete traumatic amputation of right hip and thigh, level unspecified, subsequent encounter
S78.911S	Complete traumatic amputation of right hip and thigh, level unspecified, sequela
S78.912A	Complete traumatic amputation of left hip and thigh, level unspecified, initial encounter
S78.912D	Complete traumatic amputation of left hip and thigh, level unspecified, subsequent encounter
S78.912S	Complete traumatic amputation of left hip and thigh, level unspecified, sequela
S78.919A	Complete traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter
S78.919D	Complete traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter
S78.919S	Complete traumatic amputation of unspecified hip and thigh, level unspecified, sequela
S78.921A	Partial traumatic amputation of right hip and thigh, level unspecified, initial encounter
S78.921D	Partial traumatic amputation of right hip and thigh, level unspecified, subsequent encounter
S78.921S	Partial traumatic amputation of right hip and thigh, level unspecified, sequela
S78.922A	Partial traumatic amputation of left hip and thigh, level unspecified, initial encounter
S78.922D	Partial traumatic amputation of left hip and thigh, level unspecified, subsequent encounter
S78.922S	Partial traumatic amputation of left hip and thigh, level unspecified, sequela
S78.929A	Partial traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
S78.929D	Partial traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter
S78.929S	Partial traumatic amputation of unspecified hip and thigh, level unspecified, sequela
S88.011A	Complete traumatic amputation at knee level, right lower leg, initial encounter
S88.011D	Complete traumatic amputation at knee level, right lower leg, subsequent encounter
S88.011S	Complete traumatic amputation at knee level, right lower leg, sequela
S88.012A	Complete traumatic amputation at knee level, left lower leg, initial encounter
S88.012D	Complete traumatic amputation at knee level, left lower leg, subsequent encounter
S88.012S	Complete traumatic amputation at knee level, left lower leg, sequela
S88.019A	Complete traumatic amputation at knee level, unspecified lower leg, initial encounter
S88.019D	Complete traumatic amputation at knee level, unspecified lower leg, subsequent encounter
S88.019S	Complete traumatic amputation at knee level, unspecified lower leg, sequela
S88.021A	Partial traumatic amputation at knee level, right lower leg, initial encounter
S88.021D	Partial traumatic amputation at knee level, right lower leg, subsequent encounter
S88.021S	Partial traumatic amputation at knee level, right lower leg, sequela
S88.022A	Partial traumatic amputation at knee level, left lower leg, initial encounter
S88.022D	Partial traumatic amputation at knee level, left lower leg, subsequent encounter
S88.022S	Partial traumatic amputation at knee level, left lower leg, sequela
S88.029A	Partial traumatic amputation at knee level, unspecified lower leg, initial encounter
S88.029D	Partial traumatic amputation at knee level, unspecified lower leg, subsequent encounter
S88.029S	Partial traumatic amputation at knee level, unspecified lower leg, sequela
S88.911A	Complete traumatic amputation of right lower leg, level unspecified, initial encounter
S88.911D	Complete traumatic amputation of right lower leg, level unspecified, subsequent encounter
S88.911S	Complete traumatic amputation of right lower leg, level unspecified, sequela
S88.912A	Complete traumatic amputation of left lower leg, level unspecified, initial encounter
S88.912D	Complete traumatic amputation of left lower leg, level unspecified, subsequent encounter
S88.912S	Complete traumatic amputation of left lower leg, level unspecified, sequela
S88.919A	Complete traumatic amputation of unspecified lower leg, level unspecified, initial encounter
S88.919D	Complete traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter
S88.919S	Complete traumatic amputation of unspecified lower leg, level unspecified, sequela

CLINICAL POLICY
Wheelchair Seating

ICD-10-CM Code	Description
S88.921A	Partial traumatic amputation of right lower leg, level unspecified, initial encounter
S88.921D	Partial traumatic amputation of right lower leg, level unspecified, subsequent encounter
S88.921S	Partial traumatic amputation of right lower leg, level unspecified, sequela
S88.922A	Partial traumatic amputation of left lower leg, level unspecified, initial encounter
S88.922D	Partial traumatic amputation of left lower leg, level unspecified, subsequent encounter
S88.922S	Partial traumatic amputation of left lower leg, level unspecified, sequela
S88.929A	Partial traumatic amputation of unspecified lower leg, level unspecified, initial encounter
S88.929D	Partial traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter
S88.929S	Partial traumatic amputation of unspecified lower leg, level unspecified, sequela
Z87.2	Personal history of diseases of the skin and subcutaneous tissue
Z89.511	Acquired absence of right leg below knee
Z89.512	Acquired absence of left leg below knee
Z89.519	Acquired absence of unspecified leg below knee
Z89.611	Acquired absence of right leg above knee
Z89.612	Acquired absence of left leg above knee
Z89.619	Acquired absence of unspecified leg above knee
Z89.621	Acquired absence of right hip joint
Z89.622	Acquired absence of left hip joint
Z89.629	Acquired absence of unspecified hip joint

Note: HCPCS codes E0955, E2601, E2602, E2611, E2612, and E2619 have no diagnosis-code restrictions.

Reviews, Revisions, and Approvals	Revision Date	Approval Date
Policy created, Therapist reviewed	09/15	10/15
Typo corrected in II.B- Should be K0860-K0864, rather than K0860, K0864. For clarity, added the codes included in this range. References reviewed and updated. ICD-10 10/1/20 coding updates: Replaced G11.1 with G11.10 and revised description. Added subcategories G11.11 and G11.19. Replaced G71.2 with G71.20 and revised description. Added subcategories G71.21, G71.220, G71.228 and G71.29. Removed “member” from criteria and reworded, without impact on criteria. When not possible to remove, replaced “member” with “member/enrollee.” Replaced “members” with “members/enrollees” in the disclaimer of the policy.	09/20	09/20
References reviewed, reformatted and updated. Added “unspecified” to description of G71.00 in all instances. Changed “review date” in the	07/21	07/21

Reviews, Revisions, and Approvals	Revision Date	Approval Date
header to “date of last revision” and “date” in the revision log header to “revision date.”		
Annual review. References reviewed and updated. Per 2022 annual ICD-10-CM code updates, added ICD-10 code G04.82 to tables with the following HCPCS codes: E2603, E2604, E2622, and E2623; E0953, E0956, E0957, E0960, E2605, E2606, E2613-E2617, E2620 and E2621; and E2609. Revised language preceding coding tables from “procedure codes” to “HCPCS code.”	03/22	03/22
Annual review. Added "dementia" and "hereditary motor and sensory neuropathy" to I.B.2. Added "congenital absence of thigh and/or lower limb" to I.C.2. Added ICD-10 codes F03.90, F03.911, F03.918, F03.92, F03.93, F03.94, F03.A11, F03.A18, F03.A2, F03.A3, F03.A4, F03.B11, F03.B18, F03.B2, F03.B3, F03.B4, F03.C11, F03.C18, F03.C2, F03.C3, F03.C4, G31.83, G60.0, Q79.60, Q79.61, Q79.62, Q79.63, Q79.69, Q90.0, Q90.1, Q90.2, Q90.9, G71.031, G71.032, G71.033, G71.0340, G71.0341, G71.0342, G71.0349, G71.035, G71.038, and G71.039 to tables with the following HCPCS codes: E2603, E2604, E2622, and E2623; E0953, E0956, E0957, E0960, E2605, E2606, E2613, E2614, E2615, E2616, E2617, E2620, and E2621; E2607, E2608, E2624, and E2625; and E2609. Added Q72.01, Q72.02, Q72.03, Q72.11, Q72.12, and Q72.13 to tables with the following HCPCS codes: E2607, E2608, E2624, and E2625; and E0953, E0956, E0957, E0960, E2605, E2606, E2613, E2614, E2615, E2616, E2617, E2620, and E2621; and E2609. References reviewed and updated.	03/23	03/23
Added ICD-10 codes E75.27, E75.28, G20.A1, G20.A2, G20.B1, G20.B2, G20.C, G31.80, G31.86, G37.81, G37.89 to tables with the following HCPCS codes: E2603, E2604, E2622, and E2623; E0953, E0956, E0957, E0960, E2605, E2606, E2613, E2614, E2615, E2616, E2617, E2620 and E2621; E2607, E2608, E2624, E2625; and E2609. Added Z87.2 to ICD-10 tables with the following HCPCS codes: E2607, E2608, E2624, and E2625, as well as to the list of pressure ulcer codes before the ICD-10 table. Added Z87.2 to the ICD-10 table for HCPCS E2609. Removed ICD-10 codes G20 and G37.8 from tables with the following HCPCS codes: E2603, E2604, E2622, and E2623; E0953, E0956, E0957, E0960, E2605, E2606, E2613, E2614, E2615, E2616, E2617, E2620 and E2621; E2607, E2608, E2624, E2625; and E2609.	01/24	
Annual review. References reviewed and updated.	03/24	03/24
Annual review. Added ICD-10 codes G70.00, G70.01, G72.41, M62.85. Q03.0, Q03.1, Q03.8, Q03.9 to ICD-10 Tables 1-3. References reviewed and updated.	03/25	03/25

References

1. *HCPCS Level II*, 2024
2. *ICD-10-CM Official Code Set*, 2024
3. Local coverage determination: Wheelchair Seating (L33312). Centers for Medicare and Medicaid services website. <http://www.cms.hhs.gov/mcd/search.asp>. Published October 1, 2015. (revised January 1, 2020.) Accessed February 13, 2025.
4. Local coverage article: Wheelchair Seating-Policy article (A52505). Centers for Medicare and Medicaid services website. <http://www.cms.hhs.gov/mcd/search.asp>. Published October 1, 2015 (revised October 17, 2024) Accessed February 13, 2025.

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan’s affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members/enrollees. This clinical policy is not intended

CLINICAL POLICY

Wheelchair Seating

to recommend treatment for members/enrollees. Members/enrollees should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members/enrollees and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members/enrollees and their representatives agree to be bound by such terms and conditions by providing services to members/enrollees and/or submitting claims for payment for such services.

Note: For Medicaid members/enrollees, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

Note: For Medicare members/enrollees, to ensure consistency with the Medicare National Coverage Determinations (NCD) and Local Coverage Determinations (LCD), all applicable NCDs, LCDs, and Medicare Coverage Articles should be reviewed prior to applying the criteria set forth in this clinical policy. Refer to the CMS website at <http://www.cms.gov> for additional information.

©2018 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene® and Centene Corporation® are registered trademarks exclusively owned by Centene Corporation.