

Clinical Policy: Palbociclib (Ibrance)

Reference Number: CP.PHAR.125 Effective Date: 10.01.15 Last Review Date: 05.20 Line of Business: Commercial, HIM, Medicaid

Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

Description

Palbociclib (Ibrance[®]) is an inhibitor of cyclin-dependent kinases 4 and 6 (CDK4/6).

FDA Approved Indication(s)

Ibrance is indicated for the treatment of hormone receptor (HR)-positive, human epidermal growth factor receptor 2 (HER2)-negative advanced or metastatic breast cancer in combination with:

- An aromatase inhibitor as initial endocrine based therapy in postmenopausal women or in men; or
- Fulvestrant in patients with disease progression following endocrine therapy.

Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation[®] that Ibrance is **medically necessary** when the following criteria are met:

I. Initial Approval Criteria

- A. Breast Cancer (must meet all):
 - 1. Diagnosis of breast cancer;
 - 2. Prescribed by or in consultation with an oncologist;
 - 3. Age \geq 18 years;
 - 4. Disease has all of the following characteristics (a, b, and c):
 - a. HR-positive (i.e., estrogen receptor (ER) and/or progesterone receptor (PR) positive);
 - b. HER2-negative;
 - c. Advanced (locally recurrent) or metastatic;
 - 5. Ibrance is prescribed in combination with one of the following (a or b):
 - a. An aromatase inhibitor (e.g., letrozole, anastrozole, exemestane), and:
 - i. If male, an agent that suppresses testicular steroidogenesis (e.g., gonadotropin-releasing hormone agonists);
 - b. Fulvestrant after disease progression on an endocrine therapy;
 - 6. Member has not previously experienced disease progression on a CDK 4/6 inhibitor therapy (e.g., Verzenio[®], Kisqali[®]);
 - 7. Request meets one of the following (a or b):*

CLINICAL POLICY Palbociclib



- a. Dose does not exceed 125 mg (1 capsule) per day on Days 1 to 21 of a 28-day cycle;
- b. Dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (*prescriber must submit supporting evidence*).
 *Prescribed regimen must be FDA-approved or recommended by NCCN

Approval duration:

Medicaid/HIM - 6 months

Commercial – Length of Benefit

B. Soft Tissue Sarcoma (off-label) (must meet all):

- 1. Diagnosis of retroperitoneal well-differentiated/dedifferentiated liposarcoma;
- 2. Prescribed by or in consultation with an oncologist;
- 3. Age \geq 18 years;
- 4. Disease is unresectable, metastatic, or progressive;
- 5. Ibrance will be used as a single agent;
- 6. Dose is within FDA maximum limit for any FDA-approved indication or is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (prescriber must submit supporting evidence).*

*Prescribed regimen must be FDA-approved or recommended by NCCN

Approval duration:

Medicaid/HIM – 6 months **Commercial** – Length of Benefit

C. Other diagnoses/indications:

1. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace, and CP.PMN.53 for Medicaid.

II. Continued Therapy

A. All Indications in Section I (must meet all):

- 1. Currently receiving medication via Centene benefit, or documentation supports that member is currently receiving Ibrance for a covered indication and has received this medication for at least 30 days;
- 2. Member is responding positively to therapy;
- 3. If breast cancer, dose is \geq 75 mg per day;
- 4. If request is for a dose increase, request meets one of the following (a or b):*
 - a. New dose does not exceed 125 mg (1 capsule) per day on Days 1 to 21 of a 28day cycle;
 - b. New dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (*prescriber must submit supporting evidence*).

*Prescribed regimen must be FDA-approved or recommended by NCCN

Approval duration:

Medicaid/HIM – 12 months

Commercial – Length of Benefit

CLINICAL POLICY Palbociclib



B. Other diagnoses/indications (must meet 1 or 2):

1. Currently receiving medication via Centene benefit and documentation supports positive response to therapy.

Approval duration: Duration of request or 6 months (whichever is less); or

2. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace, and CP.PMN.53 for Medicaid.

III. Diagnoses/Indications for which coverage is NOT authorized:

A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policy – CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace, and CP.PMN.53 for Medicaid or evidence of coverage documents.

IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key	
CDK: cyclin-dependent kinase	HR: hormone receptor
ER: estrogen receptor	NCCN: National Comprehensive Cancer
FDA: Food and Drug Administration	Network
HER2: human epidermal growth factor	PR: progesterone receptor
receptor 2	

Appendix B: Therapeutic Alternatives

This table provides a listing of preferred alternative therapy recommended in the approval criteria. The drugs listed here may not be a formulary agent for all relevant lines of business and may require prior authorization.

Drug Name	Dosing Regimen	Dose Limit/ Maximum Dose			
Endocrine Therapy					
anastrozole (Arimidex [®])	1 mg PO QD	1 mg/day			
exemestane (Aromasin [®])	25 mg PO QD	25 mg/day			
Fareston [®] (toremifene)	60 mg PO QD	60 mg/day			
Faslodex [®] (fulvestrant)	500 mg IM into the buttocks slowly (1 - 2	500 mg/day			
	minutes per injection) as two 5 mL				
	injections, one in each buttock, on days 1,				
	15, 29 and once monthly thereafter				
letrozole (Femara [®])	2.5 mg PO QD	2.5 mg/day			
tamoxifen (Nolvadex [®] ,	20 to 40 mg PO QD	40 mg/day			
Soltamox [®])					
megestrol acetate	40 mg PO QID	160 mg/day			

Drug names are listed as Brand name[®] (generic) when the drug is available by brand name only and generic (Brand name[®]) when the drug is available by both brand and generic.

Appendix C: Contraindications/Boxed Warnings None reported



Appendix D: General Information

- For disease progression while on a CDK4/6 inhibitor, there is no data to support retreatment with another CDK4/6 inhibitor-containing regimen.
- Fluoxymesterone and ethinyl estradiol for breast cancer are other endocrine therapies, but they are no longer commercially available.

V. Dosage and Administration

Indication	Dosing Regimen*	Maximum Dose
Breast cancer	125 mg PO QD for 21 consecutive days followed by	125 mg/day
	7 days off treatment	

*If a dose reduction to < 75 mg/day is required, therapy should be discontinued.

VI. Product Availability

Capsules: 75 mg, 100 mg, 125 mg

VII. References

- 1. Ibrance Prescribing Information. New York, NY; Pfizer Labs; September 2019. Available at: <u>www.ibrance.com/</u>. Accessed February 11, 2020.
- 2. National Comprehensive Cancer Network Drugs and Biologics Compendium. Available at: <u>http://www.nccn.org/professionals/drug_compendium</u>. Accessed February 11, 2020.
- 3. National Comprehensive Cancer Network. Breast Cancer Version 2.2020. Available at: <u>https://www.nccn.org/professionals/physician_gls/pdf/breast.pdf</u>. Accessed February 11, 2020.
- 4. National Comprehensive Cancer Network. Soft Tissue Sarcoma Version 2.2019. Available at: <u>https://www.nccn.org/professionals/physician_gls/pdf/sarcoma.pdf</u>. Accessed August 9, 2019.
- 5. Dickson MA, Tap WD, Keohan ML, et al. Phase II trial of the CDK4 inhibitor PD0332991 in patients with advanced CDK4-amplified well differentiated or dedifferentiated liposarcoma. J Clin Oncol 2013;31(16):2024-2028.

Reviews, Revisions, and Approvals	Date	Р&Т
		Approval Date
Policy created	09.15	09.15
Policy converted to new template. New NCCN indication added	07.16	08.16
(section I.A.3.b). ER positive changed to HR positive per PI, but		
ER and/or PR clarification added per UptoDate. Parenthetical drug		
classifications added for letrozole and fulvestrant from Lexicomp		
for clarity. Pregnancy removed as a contraindication. NCCN		
compendial recommendations closely follow the FDA approved		
indications; criteria was extended to men. All NCCN compendial		
recommendations, in addition to breast cancer, are added under		
Section I.B. Initial approval duration increased to 6 months.		
Modified requirement related to initial endocrine-based therapy in	04.17	06.17
combination with letrozole to allow use in combination with any		



Reviews, Revisions, and Approvals	Date	P&T Approval
anomatasa inhibitan nan DI, madifiad aantinyad anonayal dynatian		Date
aromatase inhibitor per PI; modified continued approval duration from 6 to 12 months; updated references.		
1Q18 annual review:	11.17	02.18
Converted to new template		
Added prescriber specialty requirement;		
Added max dosing criteria;		
Added criteria for off-label use for soft tissue sarcoma. References		
reviewed and updated.		
4Q 2018 annual review: no significant changes; added commercial	07.05.18	11.18
line of business; summarized NCCN and FDA-approved uses for		
improved clarity; added age; added specialist involvement in care		
for soft tissue sarcomas; references reviewed and updated.		
No significant changes: added updated FDA indication for use in	04.10.19	
men; no change to criteria required.		
4Q 2019 annual review: no significant changes; references	08.09.19	11.19
reviewed and updated.		
Added HIM line of business; added that member has not previously	02.18.20	05.20
failed another CDK 4/6 inhibitor therapy for breast cancer.		

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a

CLINICAL POLICY Palbociclib



discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

Note: For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

©2015 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene[®] and Centene Corporation.