

Clinical Policy: Fedratinib (Inrebic)

Reference Number: CP.PHAR.442

Effective Date: 12.01.19 Last Review Date: 11.19

Line of Business: Commercial, HIM TBD*, Medicaid

Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

*For Health Insurance Marketplace members, if request is through the pharmacy benefit, this policy applies only when the referenced drug is on the health plan approved formulary. Request for non-formulary drugs must be reviewed using the policy: HIM.PA.103.

Description

Fedratinib (Inrebic®) is a kinase inhibitor.

FDA Approved Indication(s)

Inrebic is indicated for the treatment of adult patients with intermediate-2 or high-risk primary or secondary (post-polycythemia vera (post-PV) or post-essential thrombocythemia (post-ET)) myelofibrosis (MF).

Policy/Criteria

Provider must submit documentation (including such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation[®] that Inrebic is **medically necessary** when the following criteria are met:

I. Initial Approval Criteria

- A. Myelofibrosis (must meet all):
 - 1. Diagnosis of intermediate-2 or high-risk primary MF, post-PV MF, or post-ET MF;
 - 2. Prescribed by or in consultation with a hematologist or oncologist;
 - 3. Age \geq 18 years;
 - 4. Documentation of a recent (within the last 30 days) thiamine level of ≥ 70 nmol/L (3 mcg/dL);
 - 5. Documentation of a recent (within the last 30 days) platelet count of \geq 50,000/mcL;
 - 6. Request meets one of the following (a or b):*
 - a. Dose does not exceed 400 mg (4 capsules) per day;
 - b. Dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use *(prescriber must submit supporting evidence)*.

*Prescribed regimen must be FDA-approved or recommended by NCCN

Approval duration:

Medicaid/HIM – 6 months

Commercial – Length of Benefit



B. Other diagnoses/indications

1. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace and CP.PMN.53 for Medicaid.

II. Continued Therapy

A. Myelofibrosis (must meet all):

- 1. Currently receiving medication via Centene benefit, or documentation supports that member is currently receiving Inrebic for a covered indication and has received this medication for at least 30 days;
- 2. Member is responding positively to therapy;
- 3. If request is for a dose increase, request meets one of the following (a or b):*
 - a. New dose does not exceed 400 mg (4 capsules) per day;
 - b. New dose is supported by practice guidelines or peer-reviewed literature for the relevant off-label use (*prescriber must submit supporting evidence*).

*Prescribed regimen must be FDA-approved or recommended by NCCN

Approval duration:

Medicaid/HIM – 12 months

Commercial – Length of Benefit

B. Other diagnoses/indications (must meet 1 or 2):

1. Currently receiving medication via Centene benefit and documentation supports positive response to therapy.

Approval duration: Duration of request or 6 months (whichever is less); or

2. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace, and CP.PMN.53 for Medicaid.

III. Diagnoses/Indications for which coverage is NOT authorized:

A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace and CP.PMN.53 for Medicaid or evidence of coverage documents.

IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key FDA: Food and Drug Administration

TDA. Food and Drug Administration

MF: myelofibrosis

NCCN: National Comprehensive Cancer

Network

Appendix B: Therapeutic Alternatives Not applicable

Post-ET: post-essential thrombocythemia

Post-PV: post-polycythemia vera



Appendix C: Contraindications/Boxed Warnings

- Contraindication(s): none reported
- Boxed warning(s): serious and fatal encephalopathy, including Wernicke's

Appendix D: General Information

- NCCN recommendations for the initial treatment of intermediate-2 or high-risk MF include the use of Jakafi[®] as a category 2A recommendation and the use of Inrebic as a category 2B recommendation. Inrebic also has a category 2A recommendation for use after failure or intolerance to Jakafi.
- The Inrebic Prescribing Information and NCCN guidelines for myeloproliferative neoplasms recommend a baseline platelet count of ≥ 50,000/mcL before initiation of Inrebic. The Jakafi Prescribing Information also recommends the same baseline platelet count for Jakafi, but NCCN guidelines include support for use of Jakafi for low- or intermediate-1 risk MF without regard to baseline platelet counts.
- Examples of positive response to therapy for myelofibrosis include: reduction in spleen size or improvement in symptoms such as pruritus, fatigue, night sweats, bone pain since initiation of therapy.

V. Dosage and Administration

Indication	Dosing Regimen	Maximum Dose
MF	400 mg PO QD	400 mg/day

VI. Product Availability

Capsule: 100 mg

VII. References

- 1. Inrebic Prescribing Information. Summit, NJ: Celgene Corporation; August 2019. Available at http://www.inrebicpro.com. Accessed September 12, 2019.
- 2. Myeloproliferative neoplasms (Version 3.2019). National Comprehensive Cancer Network Guidelines. Available at nccn.org. Accessed September 12, 2019.
- 3. Pardanani A, Harrison C, Cortes JE, et al. Safety and efficacy of fedratinib in patients with primary or secondary myelofibrosis a randomized clinical trial. *JAMA Oncol.* 2015;1(5): 643-51.
- 4. Micromedex® Healthcare Series [Internet database]. Greenwood Village, Colo: Thomson Healthcare. Updated periodically. Accessed September 12, 2019.

Reviews, Revisions, and Approvals		P&T
		Approval
		Date
Policy created	10.01.19	11.19

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional



organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

Note:

For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.



©2019 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene® and Centene Corporation® are registered trademarks exclusively owned by Centene Corporation.