

# HEDIS® Adult Pocket Guide: 2025 Measurement Year

For a complete list of codes, please visit the NCQA website at [ncqa.org](https://www.ncqa.org), or see the HEDIS value sets. The following is a subset only of the NCQA approved codes. CPT Copyright 2024 American Medical Association. All rights reserved. CPT® is a registered trademark of the American Medical Association.

## Prevention and screening

Measure	Best practice	Codes
<b>(AAP) Adults' access to preventive/ambulatory health services (ages 20 and over)</b> Also known as annual preventive visit (APV)	Once a year	99381–99387, 99391–99397, G0402, G0438, G0439, S0620, S0621
<b>(BCS-E) Breast cancer screening (members ages 40–74)</b>	Mammogram – every two years	77061–77063, 77065–77067, G9054, Z90.13
<b>(CCS-E) Cervical cancer screening (female ages 21–64)</b>	Cervical cytology lab test (ages 21–64)	88141–88143, 88147, 88148, 88150, 88152, 88153, 88164–88167, 88174, 88175, G0123, G0124, G0141, G0143–G0145, G0147, G1048, P3000, P3001, Q0091
	hrHPV test (age 30–64)	87624, 87625, G0476
	Self-collection for HPV testing BD Onclarity™ HPV Assay and the Roche cobas® HPV test (females ages 30–64).	87626
<b>(CHL) Chlamydia screening (ages 16–24)</b>	Chlamydia test	87110, 87270, 87320, 87490–87492, 87810
<b>(COL-E) Colorectal cancer screening (ages 45–75)</b>	Colonoscopy – within the past 10 years	44388–44392, 44394, 44401–44408, 45378–45382, 45384–45386, 45388–45393, 45398, G0105, G0121
	Flexible sigmoidoscopy – within the past 5 years	45330–45335, 45337–45338, 45340–45342, 45346, 45347, 45349, 45350, G0104
	CT colonography – within the past five years	74261–74263
	sDNA FIT lab test – within the past three years	81528, G0464
	FOBT lab test – within the measurement year	82270, 82274, G0328
	Colorectal cancer	C18.0–C18.9, C19, C20, C21.2, C21.8, C78.5, Z85.038, Z85.048

## Cardiovascular conditions

Measure	Best practice	Codes
<b>Controlling blood pressure</b>	Systolic ≥ 140	3077F
	Systolic < 140	3074F, 3075F
	Diastolic ≥ 90	3080F
	Diastolic 80–89	3079F
	Diastolic < 80	3078F
	Telephone visits	98966–98968, 99441–99443

(continued)

Measure	Best practice	Codes	
(EED) Eye exam for patients with Diabetes (ages 18–75)	Diabetic Retinal Eye Exam (DRE) – yearly. Negative retinal or dilated eye exam (negative for retinopathy) in the year prior to measurement year, all eye exams must have a result.	<b>Eye exam without retinopathy:</b> 2023F, 2025F, 2033F	
		<b>Eye exam with retinopathy:</b> 2022F, 2024F, 2026F	
		<b>Diabetic retinal screening:</b> <b>CPT:</b> 92002, 92004, 92012, 92014, 92018, 92019, 92134, 92201, 92202, 92227, 92228, 92230, 92235, 92240, 92250, 99203, 99204, 99205, 99213, 99214, 99215, 99242, 99243, 99244, 99245 <b>HCPs:</b> S0620, S0621, S3000	
		<b>Automated eye exam:</b> 92229	
(GSD) Glycemic status assessment for patients with Diabetes (ages 18–75)	Most recent hemoglobin A1c in measurement year (hemoglobin A1c [HbA1c] or glucose management indicator [GMI]) was at the following levels: <ul style="list-style-type: none"> <li>Glycemic status controlled &lt; 8.0</li> <li>Glycemic status poor control &gt; 9.0<sup>1</sup></li> </ul>	< <b>7.0:</b> 3044F <b>7–7.9:</b> 3051F <b>8–9:</b> 3052F    > <b>9:</b> 3046F <b>HbA1c test:</b> 83036, 83037	
(KED) Kidney health evaluation for patients with Diabetes (ages 18–85)	Estimated glomerular filtration rate (eGFR) and urine albumin-creatinine ratio (uACR) during the measurement year, on the same or different dates of service (DOS) as defined by the following criteria: <ul style="list-style-type: none"> <li>At least one estimated glomerular filtration rate (eGFR).</li> <li>At least one urine albumin-creatinine ratio (uACR) test identified by one of the following:</li> <li>Both a quantitative urine albumin test AND a urine creatinine test four or less days apart.</li> </ul> OR <ul style="list-style-type: none"> <li>A urine albumin-creatinine ratio (uACR) test.</li> </ul>	<b>eGFR:</b> 80047, 80048, 80050, 80053, 80069, 82565 <b>LOINC:</b> 50044-7, 50210-4, 50384-7, 62238-1, 69405-9, 70969-1, 77147-7, 94677-2, 98979-8, 98980-6, 102097-3	<b>Option 1 – Urine albumin creatinine ratio (uACR):</b> <b>LOINC:</b> 13705-9, 14958-3, 14959-1, 30000-4, 44292-1, 59159-4, 76401-9, 77253-3, 77254-1, 89998-9, 9318-7  <b>Option 2 – (Must be within four days of each other)</b> <b>Quantitative urine albumin:</b> 82043 <b>LOINC:</b> 100158-5, 14957-5, 1754-1, 21059-1, 30003-8, 43605-5, 53530-2, 53531-0, 57369-1, 89999-7 <b>Urine creatinine:</b> 82570 <b>LOINC:</b> 20624-3, 2161-8, 35674-1, 39982-4, 57344-4, 57346-9, 58951-5

## (SDOH) Social Determinants of Health: improving patient outcomes by identifying and addressing social needs

Measure	Best practice	Codes
Occupational exposure to risk factors	Include supplemental codes in the patient's diagnosis section on a claim form.	<b>ICD-10:</b> Z57.0–Z57.9
Problems related to education and literacy		<b>ICD-10:</b> Z55.0–Z55.9
Problems related to employment and unemployment		<b>ICD-10:</b> Z56.0–Z56.9
Problems related to physical environment		<b>ICD-10:</b> Z58.0–Z58.9
Problems related to housing and economic circumstances		<b>ICD-10:</b> Z59.0–Z59.9
Problems related to social environment		<b>ICD-10:</b> Z60.0–Z60.9
Problems related to primary support group, including family circumstances		<b>ICD-10:</b> Z63.0–Z63.9
Problems related to certain psychosocial circumstances		<b>ICD-10:</b> Z64.0–Z64.4
Problems related to substance use		<b>ICD-10:</b> Z71.41, Z71.42, Z71.51, Z71.52
Problems related to sleep/sleep hygiene		<b>ICD-10:</b> Z72.820, Z72.821

<sup>1</sup>A lower rate indicates better performance for this indicator (i.e., low rates for glycemic status > 9% indicate better care).