

HEDIS® Pediatric Pocket Guide: 2025 Measurement Year

For a complete list of codes, please visit the NCQA website at **ncqa.org**, or see the HEDIS value sets. The following is a subset only of the NCQA approved codes. CPT Copyright 2024 American Medical Association. All rights reserved. CPT® is a registered trademark of the American Medical Association.

The state of the s

Must include the following: Documentation of a visit with an acceptable provider type, the date of the visit and services to validate a well-child visit was performed.

Measure	Best practice	Codes
(W30) Well-child visits in the first 30 months of life (ages 0–30 months) ^{1,2}	Well-child visits in the first 15 months. Complete 6 or more well-child visits before the child turns 15 months old.	99381, 99382, 99391, 99392, 99461, G0438, G0439, S0302, Z00.110, Z00.111, Z00.121, Z00.129
	Well-child visits for ages 15–30 months. Complete 2 or more well-child visits after the child turns 15 months old and before the child turns 30 months old.	
(WCV) Child and adolescent well-care visits (ages 3–21) ^{1, 2}	One or more comprehensive well-care visits with a primary care physician (PCP) or obstetrician (OB/GYN) within the measurement year. Visits occurring anytime in the measurement year, including prior to or after the patient's birthday, close the gap.	99382–99385, 99391–99395, G0438, G0439, S0302, S0610, S0612, S0613, Z00.00, Z00.01, Z00.121, Z00.129, Z00.2, Z00.3, Z01.411, Z01.419, Z02.5, Z76.2
(DEV) Developmental screening in the first three years of life	Conduct developmental and behavioral screenings for all children during regular well-child visits at 9 months, 18 months, and 30 months. Only utilize standardized developmental screening tools cited in Bright Futures/American Academy of Pediatrics.	96110
	Children should also be screened for the autism spectrum disorder (ASD) at 18 months and 24 months. ASD screenings must be completed with another standardized developmental screening to be counted for HEDIS.	

T Dental

Measure	Best practice	Codes
(TFL-CH) Topical fluoride for children	Administer fluoride varnish application at least once every six months for all children and every three months for children at high risk for dental caries.	CPT: 99188 CDT: D1206
	Perform oral health risk assessments on all children at every routine well-visit beginning at 6 months of age.	
	Recommend use of fluoridated toothpaste starting at eruption of the first tooth: rice-grain sized amount for children younger than age 3, and a pea-sized amount for most children starting at age 3.	
(OED) Oral evaluation, dental services	Refer all children ages 1 and older to an in-network dentist.	Not applicable



Measure	Best practice	Codes
(CWP) Appropriate testing for pharyngitis ^{1, 2}	Episodes for members ages 3 and older where the member is: Diagnosed with pharyngitis Dispensed an antibiotic Received a group A Strep test	Group A Strep test: 87070, 87071, 87081, 87430, 87650-87652, 87880
		Pharyngitis: J02.0, J02.8, J02.9, J03.00, J03.01, J03.80, J03.81, J03.90, J03.91
	Note: Test for group A Strep before dispensing an antibiotic.	

Weight assessment and counseling for nutrition and physical activity

Measure	Best practice	Codes
(WCC) Weight assessment and counseling for	Visit with a PCP or OB/GYN in measurement year with	BMI: Z68.51, Z68.52, Z68.53, Z68.54
nutrition and physical activity for children/	documentation of, or claim for, discussion of body mass index	Nutrition: 97802–97804, G0270, G0271, G0447, S9449, S9452,
adolescents (ages 3-17) ^{1, 2}	(BMI) percentile, and nutrition and physical activity.	S9470 PA: G0447, S9451, Z02.5, Z71.82

M Immunizations

Best practice Codes Measure Diphtheria, tetanus, and pertussis (DTaP) - 4 Doses 90697, 90698, 90700, 90723 Pneumococcal conjugate vaccine (PCV) - 4 Doses 90670, 90671, G0009 Inactivated poliovirus vaccine (IPV) - 3 Doses 90697, 90698, 90713, 90723 Haemophilus influenzae type B (HiB) - 3 Doses 90644, 90647, 90648, 90697, 90698, 90748 90697, 90723, 90740, 90744, 90747, 90748, G0010 Hepatitis B - 3 Doses 2 Doses: 90681 Rotavirus vaccination (RV) - 2 or 3 Doses (CIS-E) Childhood immunizations1,2 3 Doses: 90680 (Completed on or before the 2nd birthday.) Flu - 2 Doses (Live, attenuated influenza vaccine (LAIV) meets criteria for one 90655, 90657, 90660, 90661, 90672-90674, 90685-90689, 90756 of the two required vaccinations if administered on or before the 2nd birthday.) Varicella (VZV) - 1 Dose 90710, 90716 Measles, mumps and rubella (MMR) - 1 Dose 90707, 90710 Hepatitis A - 1 Dose 90633 Meningococcal - 1 Dose (IMA-E) Immunizations for adolescents1,2 90619, 90623, 90733, 90734 (Completed on or before the 13th birthday.) Tetanus, diphtheria, and pertussis (Tdap) - 1 Dose 90715 Human papilloma virus (HPV) - 2 or 3 Doses 90649-90651

Lead screening

Measure	Best practice	Codes
(LSC) Lead screening in children ¹	Percentage of children who had one or more capillary or venous lead blood tests by their 2nd birthday. At least one lead screening result documented by age 2.	83655

Lines of Business:

¹Medi-Cal

²Ambetter HMO and PPO, Employer Group HMO/POS and PPO

HEDIS is a registered trademark of the National Committee for Quality Assurance (NCQA).

*Health Net of California, Inc. and Health Net, Community Solutions, Inc. are subsidiaries of Health Net, LLC and Centene Corporation. Health Net is a registered service mark of Health Net, LLC. All other identified trademarks/service marks remain the property of their respective companies. All rights reserved.