Breast Cancer Screening (BCS) and the BCS-E CPT, LOINC® and SNOMED-CT Codes List



Improve your HEDIS¹ rates by using this tip sheet that contains key details about the BCS measure, its codes and guidance for documentation.

Breast cancer is a common type of cancer in women in the United States.² To help reduce mortality rates, mammography is used as an effective screening tool for early detection of breast cancer.

Measure

The percentage of members who need screening, ages 40–74, who have had one or more mammograms any time on or between October 1 two years beforethe measurement year and December 31 of the measurement year.³

Exclusions

- Members who meet the following criteria anytime during the measurement period:
 - Members who used hospice services or elect to use hospice benefits.
 - Members who died any time during the measurement year.
 - Members receiving palliative care.
 - Medicare members ages 66 and older enrolled in an institutional special needs plans (I-SNP) or living long-term in an institution.
 - Members ages 66 and older with frailty and advanced illness.
- Members with bilateral mastectomy during the measurement year. Any of the following meet the criteria for bilateral mastectomy:
 - History of bilateral mastectomy.
 - Unilateral mastectomy with a bilateral modifier.
 - Unilateral mastectomy found in clinical data with a bilateral modifier.
- Any combinations of codes that indicate a mastectomy on both the left and right side on the same or different dates of service:
 - Unilateral mastectomy with a left/ride-side modifier.
 - Unilateral mastectomy found in clinical data with a left/right side modifier.
 - Absence of the left/right breast.
 - Left/right unilateral mastectomy.

25-480 (6/25) (continued)

HEDIS – Healthcare Effectiveness Data and Information Set.

²American Cancer Society, 2020, Breast Cancer – What Are the Key Statistics about Breast Cancer. Retrieved from www.cancer.org/cancer/breast-cancer/about/how-common_is-breast-cancer.html. September 3, 2020.

³NCQA. HEDIS 2020 Technical Specifications for Health Plans, Volume 2, Washington, D.C., 2020.

^{*}Health Net of California, Inc., Health Net Community Solutions, Inc. and Health Net Life Insurance Company are subsidiaries of Health Net, LLC and Centene Corporation.

Health Net is a registered service mark of Health Net, LLC. All other identified trademarks/service marks remain the property of their respective companies. All rights reserved.

Exclusion codes

CPT Copyright 2024 American Medical Association. All rights reserved. CPT® is a registered trademark of the American Medical Association.

| Description | Codes |
|--|---|
| Bilateral mastectomy | ICD-10: OHTVOZZ |
| Unilateral mastectomy with a bilateral modifier | CPT: 19180, 19200, 19220, 19240, 19303-19307 |
| | (See the code list starting on page three.) |
| | Modifier: 50, LT, RT |
| History of bilateral mastectomy | ICD-10: Z90.13 |
| | nastectomy on both the left and right side on the same or different |
| Any combination of codes below that indicate a m | nastectomy on both the left and right side on the same or different |
| | cpt: 19180, 19200, 19220, 19240, 19303-19307 |
| dates of service. | |
| dates of service. | CPT: 19180, 19200, 19220, 19240, 19303–19307 |
| dates of service. Unilateral mastectomy with left/right-side modifier | CPT: 19180, 19200, 19220, 19240, 19303–19307 Modifier: LT, RT |
| dates of service. Unilateral mastectomy with left/right-side modifier Left unilateral mastectomy | CPT: 19180, 19200, 19220, 19240, 19303–19307 Modifier: LT, RT ICD-10: OHTUOZZ |

| Best Practices | | Mammography codes |
|---|-----|---|
| Note the date of the mammogram with proof of completion in the medical record to confirm screening was ordered and completed. Discuss the results or findings with the patient. All types and methods of mammograms (screening, diagnostic, film, digital, or digital breast tomosynthesis) meet the numerator compliance. Do not count biopsies, breast ultrasounds or MRIs. Refer patients to local mammography imaging centers. Follow up to confirm completion. Ensure that radiology facilities are compliant with FDA-required breast density notification language in the patient's mammogram reports. Review breast density assessment with the patient to educate on the classification, risk status, frequency of screening, and method of screening. Utilize risk models to identify high risk patient identification. Schedule mobile mammography events at clinics or during health fairs, etc. Educate patients on the importance of routine screening (at least once every 24 months). Remind patients that preventive screenings are covered under health care reform. Depending on risk factors, mammograms may be done more often. Use shared decision making. Address misconceptions and concerns related to dense breasts or high-risk status. Discuss possible concerns or fears members may have about the screening. Develop standing orders along with automated referrals (if applicable) for women ages 40-74. Promote culturally sensitive communication by training the clinical and support staff to recognize and respect diverse beliefs, language needs and health literacy levels that may influence screening behaviors and decision-making. | СРТ | 77061–77063, 77065–77067 (See the code list starting on page three.) |

BCS-E CPT, LOINC® and SNOMED-CT Codes List

The breast cancer screening measure has transitioned to the exclusive use of the electronic clinical data systems reporting standard

- See the list of codes below that will help close the BCS-E or breast cancer screening care gap.
- This list of codes is subject to change so please refer to the NCQA technical specification or value set for more details.

| Code system | Code | Definition | |
|--------------------|---------|--|--|
| СРТ | 77062 | Breast, mammography | |
| СРТ | 77061 | Breast, mammography | |
| СРТ | 77063 | Breast, mammography | |
| СРТ | 77065 | Breast, mammography | |
| СРТ | 77066 | Breast, mammography | |
| СРТ | 77067 | Breast, mammography | |
| LOINC ¹ | 86463-7 | Digital breast tomosynthesis (DBT) breast – bilateral | |
| LOINC | 72139-9 | DBT breast - bilateral diagnostic | |
| LOINC | 91519-9 | DBT breast – bilateral diagnostic for implant | |
| LOINC | 91522-3 | DBT breast – bilateral screen for implant | |
| LOINC | 72142-3 | DBT breast - bilateral screening | |
| LOINC | 72138-1 | DBT breast – left diagnostic | |
| LOINC | 91518-1 | DBT breast – left diagnostic for implant | |
| LOINC | 91521-5 | DBT breast – left screen for implant | |
| LOINC | 72141-5 | DBT breast – left screening | |
| LOINC | 72137-3 | DBT breast - right diagnostic | |
| LOINC | 91517-3 | DBT breast - right diagnostic for implant | |
| LOINC | 91520-7 | DBT breast – right screen for implant | |
| LOINC | 72140-7 | DBT breast - right screening | |
| LOINC | 86462-9 | DBT breast - unilateral | |
| LOINC | 39154-0 | Full-field digital (FFD) mammogram breast – bilateral diagnostic | |
| LOINC | 42174-3 | FFD mammogram breast – bilateral screening | |
| LOINC | 42169-3 | FFD mammogram breast – left diagnostic | |
| LOINC | 46355-4 | FFD mammogram breast – left screening | |
| LOINC | 42168-5 | FFD mammogram breast – right diagnostic | |

| Code system | Code | Definition | |
|-------------|---------|--|--|
| LOINC | 46354-7 | FFD mammogram breast – right screening | |
| LOINC | 39152-4 | FFD mammogram breast diagnostic | |
| LOINC | 39153-2 | FFD mammogram breast screening | |
| LOINC | 46342-2 | FFD mammogram breast views | |
| LOINC | 39150-8 | FFD mammogram breast views post localization | |
| LOINC | 38090-7 | Mammogram-guided (MG) breast – bilateral air gap views | |
| LOINC | 26346-7 | MG breast – bilateral diagnostic | |
| LOINC | 48475-8 | MG breast – bilateral diagnostic for implant | |
| LOINC | 26349-1 | MG breast – bilateral diagnostic limited views | |
| LOINC | 46351-3 | MG breast – bilateral displacement views for implant | |
| LOINC | 26287-3 | MG breast – bilateral limited views | |
| LOINC | 37554-3 | MG breast – bilateral magnification and spot | |
| LOINC | 37543-6 | MG breast – bilateral magnification views | |
| LOINC | 37006-4 | MG breast – bilateral MLO | |
| LOINC | 37016-3 | MG breast – bilateral rolled views | |
| LOINC | 26175-0 | MG breast – bilateral screening | |
| LOINC | 48492-3 | MG breast – bilateral screening for implant | |
| LOINC | 46335-6 | MG breast – bilateral single view | |
| LOINC | 37552-7 | MG breast - bilateral spot views | |
| LOINC | 37029-6 | MG breast – bilateral tangential | |
| LOINC | 37038-7 | MG breast – bilateral true lateral | |
| LOINC | 36626-0 | MG breast – bilateral views | |
| LOINC | 38071-7 | MG breast – bilateral views for implant | |
| LOINC | 42415-0 | MG breast – bilateral views post wire placement | |
| LOINC | 37052-8 | MG breast - bilateral XCCL | |
| LOINC | 36642-7 | MG breast – left two views | |
| LOINC | 38091-5 | MG breast – left air gap views | |
| LOINC | 26347-5 | MG breast – left diagnostic | |
| LOINC | 69150-1 | MG breast – left diagnostic for implant | |
| LOINC | 26350-9 | MG breast – left diagnostic limited views | |

| Code system | Code | Definition |
|-------------|---------|--|
| LOINC | 26289-9 | MG breast – left limited views |
| LOINC | 37005-6 | MG breast – left magnification |
| LOINC | 38854-6 | MG breast – left magnification and spot |
| LOINC | 37017-1 | MG breast – left rolled views |
| LOINC | 26176-8 | MG breast – left screening |
| LOINC | 46336-4 | MG breast – left single view |
| LOINC | 37553-5 | MG breast – left spot views compression |
| LOINC | 37030-4 | MG breast – left tangential |
| LOINC | 38855-3 | MG breast – left true lateral |
| LOINC | 36627-8 | MG breast – left views |
| LOINC | 38072-5 | MG breast – left views for implant |
| LOINC | 42416-8 | MG breast – left views post wire placement |
| LOINC | 37053-6 | MG breast - left XCCL |
| LOINC | 37768-9 | MG breast - right two views |
| LOINC | 26348-3 | MG breast – right diagnostic |
| LOINC | 69259-0 | MG breast – right diagnostic for implant |
| LOINC | 26351-7 | MG breast – right diagnostic limited views |
| LOINC | 26291-5 | MG breast – right limited views |
| LOINC | 37773-9 | MG breast – right magnification |
| LOINC | 37769-7 | MG breast - right magnification and spot |
| LOINC | 37775-4 | MG breast – right rolled views |
| LOINC | 26177-6 | MG breast – right screening |
| LOINC | 46337-2 | MG breast – right single view |
| LOINC | 38807-4 | MG breast – right spot views compression |
| LOINC | 37770-5 | MG breast – right tangential |
| LOINC | 37771-3 | MG breast – right true lateral |
| LOINC | 37774-7 | MG breast - right views |
| LOINC | 38820-7 | MG breast – right views for implant |
| LOINC | 37772-1 | MG breast – right XCCL |

| Code system | Code | Definition |
|------------------------------------|-----------|--|
| LOINC | 46350-5 | MG breast – unilateral diagnostic |
| LOINC | 46356-2 | MG breast – unilateral screening |
| LOINC | 46338-0 | MG breast – unilateral single view |
| LOINC | 46339-8 | MG breast – unilateral views |
| LOINC | 46380-2 | MG breast – unilateral views for implant |
| LOINC | 36319-2 | MG breast four views |
| LOINC | 36962-9 | MG breast axillary |
| LOINC | 24605-8 | MG breast diagnostic |
| LOINC | 26404-1 | MG breast diagnostic limited views |
| LOINC | 37539-4 | MG breast grid views |
| LOINC | 24610-8 | MG breast limited views |
| LOINC | 37542-8 | MG breast magnification views |
| LOINC | 24606-8 | MG breast screening |
| LOINC | 37551-9 | MG breast spot views |
| LOINC | 37028-8 | MG breast tangential |
| LOINC | 37037-9 | MG breast true lateral |
| LOINC | 36625-2 | MG breast views |
| LOINC | 38070-9 | MG breast views for implant |
| LOINC | 69251-7 | MG breast views for post wire placement |
| SNOWMED ² CT US edition | 833310007 | Contrast enhanced dual energy spectral mammography (procedure) |
| SNOWMED CT US edition | 726551006 | Contrast enhanced spectral mammography (procedure) |
| SNOWMED CT US edition | 450566007 | Digital breast tomosynthesis (procedure) |
| SNOWMED CT US edition | 723780005 | Digital tomosynthesis of bilateral breasts (procedure) |
| SNOWMED CT US edition | 723779007 | Digital tomosynthesis of left breast (procedure) |
| SNOWMED CT US edition | 723778004 | Digital tomosynthesis of right breast (procedure) |
| SNOWMED CT US edition | 709657006 | Fluoroscopy of breast (procedure) |
| SNOWMED CT US edition | 241055006 | Mammogram – symptomatic (procedure) |
| SNOWMED CT US edition | 241057003 | Mammogram coned (procedure) |
| SNOWMED CT US edition | 439324009 | Mammogram in compression view (procedure) |

| Code system | Code | Definition |
|-----------------------|-----------------|--|
| SNOWMED CT US edition | 241058008 | Mammogram magnification (procedure) |
| SNOWMED CT US edition | 71651007 | Mammography (procedure) |
| SNOWMED CT US edition | 866235004 | Mammography of bilateral breast implants (procedure) |
| SNOWMED CT US edition | 43204002 | Mammography of bilateral breasts (procedure) |
| SNOWMED CT US edition | 866234000 | Mammography of breast implant (procedure) |
| SNOWMED CT US edition | 572701000119102 | Mammography of left breast (procedure) |
| SNOWMED CT US edition | 866236003 | Mammography of right breast implant (procedure) |
| SNOWMED CT US edition | 566571000119105 | Mammography of right breast implant (procedure) |
| SNOWMED CT US edition | 24623002 | Screening mammography (procedure) |
| SNOWMED CT US edition | 384151000119104 | Screening mammography of bilateral breasts (procedure) |
| SNOWMED CT US edition | 392531000119105 | Screening mammography of left breast (procedure) |
| SNOWMED CT US edition | 392521000119107 | Screening mammography of right breast (procedure) |
| SNOWMED CT US edition | 258172002 | Stereotactic mammography (procedure) |
| SNOWMED CT US edition | 12389009 | Xeromammography (procedure) |

¹LOINC – Logical Observation Identifiers Names and Codes ²SNOMED CT – Systematized Nomenclature of Medicine – Clinical Terms