

Clinical Policy: Nintedanib (Ofev)

Reference Number: CP.PHAR.285

Effective Date: 11.01.16

Last Review Date: 02.20

Line of Business: Commercial, HIM, Medicaid

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

Description

Nintedanib (Ofev[®]) is a kinase inhibitor.

FDA Approved Indication(s)

Ofev is indicated:

- For the treatment of idiopathic pulmonary fibrosis (IPF).
- To slow the rate of decline in pulmonary function in patients with systemic sclerosis associated interstitial lung disease (SSc-ILD).

Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation[®] that Ofev is **medically necessary** when the following criteria are met:

I. Initial Approval Criteria

A. Idiopathic Pulmonary Fibrosis (must meet all):

1. Diagnosis of IPF;
2. Prescribed by or in consultation with a pulmonologist;
3. Age \geq 18 years;
4. Member meets (a and b):
 - a. Pulmonary fibrosis on high resolution computed tomography (HRCT);
 - b. Known causes of pulmonary fibrosis have been ruled out (*see Appendix D*);
5. Dose does not exceed 300 mg (2 capsules) per day.

Approval duration: 6 months

B. Systemic Sclerosis Associated Interstitial Lung Disease (must meet all):

1. Diagnosis of SSc-ILD;
2. Prescribed by or in consultation with a pulmonologist;
3. Age \geq 18 years;
4. Member meets (a and b):
 - a. Pulmonary fibrosis on HRCT;
 - b. Additional signs of SSc are identified (*see Appendix E*);
5. Dose does not exceed 300 mg (2 capsules) per day.

Approval duration: 6 months

C. Other diagnoses/indications

1. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace and CP.PMN.53 for Medicaid.

II. Continued Therapy

A. All Indications in Section I (must meet all):

1. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;
2. Member is responding positively to therapy;
3. If request is for a dose increase, new dose does not exceed 300 mg (2 capsules) per day.

Approval duration: 12 months

B. Other diagnoses/indications (must meet 1 or 2):

1. Currently receiving medication via Centene benefit and documentation supports positive response to therapy.

Approval duration: Duration of request or 6 months (whichever is less); or

2. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace and CP.PMN.53 for Medicaid.

III. Diagnoses/Indications for which coverage is NOT authorized:

- A.** Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – CP.CPA.09 for commercial, HIM.PHAR.21 for health insurance marketplace and CP.PMN.53 for Medicaid or evidence of coverage documents.

IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key

ACR: American College of Rheumatology	NCCN: National Comprehensive Cancer Network
ATS: American Thoracic Society	NSCLC: non-small cell lung cancer
CTD: connective tissue disease	SSc-ILD: systemic sclerosis associated interstitial lung disease
FDA: Food and Drug Administration	
IPF: idiopathic pulmonary fibrosis	

Appendix B: Therapeutic Alternatives

Not applicable

Appendix C: Contraindications/Boxed Warnings

None reported

Appendix D: American Thoracic Society (ATS) 2018 IPF Guidelines

ATS diagnostic criteria for IPF are built around pulmonary fibrosis findings on HRCT and exclusion of known causes of ILD (e.g., domestic and occupational environmental exposures, CTD, drug toxicity).

Appendix E: American College of Rheumatology (ACR) 2013 SSc Classification Criteria

While the majority of patients with SSc experience skin thickening and variable involvement of internal organs, there is no one confirmatory test for SSc. Similar to the IPF guidelines above, ACR lists HRCT as a diagnostic method for determining pulmonary fibrosis in SSc-ILD. The other diagnostic parameters below are drawn from ACR’s scoring system purposed for clinical trials. While informative, ACR cautions that the scoring system parameters are not all inclusive of the myriad of SSc manifestations that may occur across musculoskeletal, cardiovascular, renal, neuromuscular and genitourinary systems.

Examples of SSc skin/internal organ manifestations and associated laboratory tests:

- Skin thickening of the fingers
- Fingertip lesions
- Telangiectasia
- Abnormal nailfold capillaries
- Raynaud’s phenomenon
- SSc-ILD
- Pulmonary arterial hypertension
- SSc-related autoantibodies
 - Anticentromere
 - Anti-topoisomerase I [anti-Scl-70]
 - Anti-RNA polymerase III

Appendix F: Non-Small Cell Lung Cancer

Existing data for off-label Ofev use as subsequent therapy in non-small cell lung cancer (NSCLC) show statistically significant improvement in progression free survival but with questionable clinical significance (0.7 months) and no difference in overall survival. Ofev is not included in the National Comprehensive Cancer Network (NCCN) NSCLC treatment recommendations at this time.

V. Dosage and Administration

Indication	Dosing Regimen	Maximum Dose
IPF, SSc-ILD	150 mg PO BID approximately 12 hours apart (100 mg BID for patients with mild hepatic impairment or management of adverse reactions)	300 mg/day

VI. Product Availability

Capsules: 100 mg, 150 mg

VII. References

1. Ofev Prescribing Information. Ridgefield, CT: Boehringer Ingelheim Pharmaceuticals, Inc.; September 2019. Available at: <https://docs.boehringer->

ingelheim.com/Prescribing%20Information/Pis/Ofev/ofev.pdf. Accessed September 17, 2019.

2. Raghu G, Remy-Jardin M, Myers JL. Diagnosis of idiopathic pulmonary fibrosis. An official ATS/ERS/JRS/ALAT clinical practice guideline. American Thoracic Society. Am J Respir Crit Care Med. September 1, 2018; 198(5):e44-e68.
3. van den Hoogen F, Khanna D, Fransen J, et al. 2013 classification criteria for systemic sclerosis: an American College of Rheumatology/European League against Rheumatism Collaborative Initiative. Ann Rheum Dis. 2013; 72:1747-1755.

Reviews, Revisions, and Approvals	Date	P&T Approval Date
New policy	10.16	10.16
Converted to new template. Safety criteria was applied according to the safety guidance discussed at CPAC and endorsed by Centene Medical Affairs.	09.17	10.17
3Q 2018 annual review: policies combined for Centene Medicaid and Commercial lines of business; no significant changes from previously approved corporate policy; Medicaid: removed requirement for high-resolution computed tomography or surgical lung biopsy findings confirming diagnosis; Commercial: added age requirement, approval durations modified from length of benefit to 6/12 months; references reviewed and updated.	05.10.18	08.18
Added HIM line of business due to addition of agent(s) to the HIM formulary with PA	03.15.19	
3Q 2019 annual review: no significant changes; references reviewed and updated.	05.21.19	08.19
Criteria added for new FDA indication: SSc-ILD; diagnostic criteria added for IPF; references reviewed and updated.	10.22.19	02.20

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan’s affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage

decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

Note:

For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

For Health Insurance Marketplace members, when applicable, this policy applies only when the prescribed agent is on your health plan approved formulary. Request for non-formulary drugs must be reviewed using the non-formulary policy; HIM.PA.103

©2016 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or

remove any trademark, copyright or other notice contained herein. Centene® and Centene Corporation® are registered trademarks exclusively owned by Centene Corporation.